The Fujitsu logo, featuring the word "FUJITSU" in a white, serif font with a stylized infinity symbol above the "J".

FUJITSU

AUSTRALIA'S FAVOURITE AIR®

The words "MULTI SYSTEM" are written in a white, sans-serif font, centered over a purple rectangular background. A large indoor plant is visible behind the text.

MULTI
SYSTEM

The words "AIR CONDITIONING SOLUTIONS" are written in a white, sans-serif font, centered over a purple rectangular background. Two horizontal lines are positioned above and below the text.

AIR CONDITIONING
SOLUTIONS

A photograph of a family of four sitting on a grey sofa in a bright, modern living room. A man and a woman are smiling, and a young child is sitting between them. A large indoor plant is in the background.

ENERGY EFFICIENT | FLEXIBLE INSTALLATION | INNOVATIVE TECHNOLOGY
BACKED BY A 5 YEAR FULL PARTS & LABOUR WARRANTY

WHY CHOOSE FUJITSU?

AUSTRALIA'S FAVOURITE AIR®

Fujitsu is a leading supplier of air conditioners in Australia, with a portfolio to suit both residential and commercial applications.

We focus all of our research and manufacturing strengths into air conditioners which has resulted in the extensive range of world-class, energy efficient, market-leading air conditioners.

That's why we're proud to say we are 'Australia's Favourite Air®'.

PEACE OF MIND

Fujitsu believe in the quality and reliability of every air conditioner we sell. This is why we're happy to provide a 5 year parts and labour warranty across the entire domestic range.



AFTER SALES SERVICE

Fujitsu Assist is our in-house customer care and technical support department which was implemented to deliver a high level of support and accessibility to our customers.

Fujitsu Assist deploys factory trained technicians in Sydney, Melbourne, Brisbane, Adelaide and Perth and provides access to dedicated Service Agents in all other parts of Australia. These technicians are well equipped with the necessary tools and spare parts to enable them to resolve issues onsite, promptly.



FUJITSU CHANNEL PARTNER NETWORK

Fujitsu have a comprehensive network of retailers and dealers right across Australia. This ensures there is a local stockist in your area to assist you in purchasing a Fujitsu air conditioning system for your home.





MULTI SYSTEMS

WHAT ARE MULTI SYSTEMS?

Multi System air conditioning is ideal where individual air conditioning units are required in more than one room, for example one for the bedroom and one for the living area.

A Fujitsu Multi System allows for a variety of up to six individual indoor air conditioning systems to be connected to just one compact outdoor unit.

Each individual air conditioning system can be controlled separately using an individual remote.

Multi Systems can be installed in a variety of applications from homes and offices to multi story buildings.




WIDE RANGE OF OPTIONS

The Fujitsu range includes 7 different indoor types and 14 different models ranging in capacity class from 2.0kW to 7.0kW. With such a wide range of options to choose from, there's a combination to suit almost any application.

FLEXIBLE INSTALLATION

Multiple indoor units can be connected to one outdoor unit rather than multiple outdoor units. This means greater installation flexibility and space saving options. Long pipe runs offer even greater choices for installation.





MULTI SYSTEMS

THE NEW 5 AND 6 ROOM MULTI SYSTEMS

The new Fujitsu General 5 and 6 room Multi Systems are easy and efficient to install whilst offering more flexibility to accommodate the diversity of modern home design. With just one unit installed outside, the 10kW unit has the capacity to cover two to five rooms, and the 12.5kW outdoor unit can have up to six indoor units connected.




Central Controller (optional)

- Operation is simple with the optional large backlit LCD central controller
- The four-way navigation pad enables control of the indoor units individually or simultaneously
- Each unit can be monitored, and features such as economy mode, remote control prohibition or low noise mode settings can be activated from one central point


EASY INSTALLATION

Fitting the new systems has been made easier - a centralised valve allows vacuuming to be performed from one location. This reduces installation time on systems as previously the evacuation process had to be performed up to four times. Installation has been made simpler with the pipe connection location optimised, and a commissioning mode is inbuilt for automatic wiring and piping checks from the outdoor unit.


4 Rooms Multi System



NEW 5-6 Rooms Multi System




Automatic wiring and piping check



Automatic connection error repair

— : Wiring line
 - - - : Piping line



INDOOR UNITS

WALL MOUNTED - COMPACT CLASSIC

ASTG07/09/12LVCC

Available in three capacity sizes, this range of compact wall mounted indoor units are suitable for small and medium size bedrooms.



WALL MOUNTED - CLASSIC

ASTG18LFCA
ASTG24LFCC

These large capacity indoor units are suitable for living areas.



WALL MOUNTED - DESIGNER

ASTG09/14LUCB

Designed for small bedrooms, the Designer range of wall mounted indoor units are discreet and have a sleek modern finish to suit most decors.



FLOOR AND CEILING CONSOLE

ABTG18LVTA

Suitable for floor or ceiling installation, this model is designed for a medium to large living area.



COMPACT CASSETTE

AUTG09/12LVLB
AUTG18LVLA

These compact cassette models have a 3 way or 4 way air flow direction option. Designed for commercial spaces, these units are suitable for meeting rooms.



SLIM DUCT


ARTG09/12LLL B
ARTG18LLTA

With 11 static pressure modes and a built in drain pump, these units are a great solution for a single room ducted system.



OUTDOOR UNITS

3 ROOM SET-UP




AOTG24LAT3 C 6.80kW / 23,200 BTU/h H 8.00kW / 27,300 BTU/h

4 ROOM SET-UP



AOTG30LBT4 C 8.00kW / 27,300 BTU/h H 9.60kW / 32,800 BTU/h

5 ROOM SET-UP



AOTG36LBA5 C 10.00kW / 34,100 BTU/h H 12.00kW / 41,000 BTU/h

6 ROOM SET-UP



AOTG45LBA6 C 12.50kW / 42,700 BTU/h H 13.50kW / 46,100 BTU/h

FEATURES*

COMFORT FUNCTIONS



POWERFUL MODE*

This mode will operate the air conditioner at maximum capacity for 20 minutes, providing comfort faster than ever before.



AUTOMATIC FAN SPEED

The micro processor automatically adjusts the airflow effectively to follow the changes of room temperature.



DOUBLE SWING AUTOMATIC*

Complex swing action of the louvres enables the unit to swing automatically both horizontal and vertical directions.



10° C HEAT OPERATION

The room temperature can be set to go no lower than 10°C, ensuring that the room does not get too cold when not occupied.



RIGHT / LEFT SWING LOUVRE*

The right / left louvre automatically swings in either direction.



AUTOMATIC LOUVRE

The position of the louvres is set automatically to match the operating mode. It is also possible to adjust the louvres using the remote control.



AUTO SHUT LOUVRE

The auto shut louvres close or open automatically when the unit stops or starts.



AUTO-CHANGEOVER

The unit automatically switches between heating and cooling modes based on the temperature setting and room temperature.



POWER DIFFUSER

An additional louvre that opens based on monitoring sensors to quickly enhance immediate comfort needs.



CONNECTABLE FRESH AIR DUCT*

Allows introduction of fresh air to occupied space.



CONNECTABLE DISTRIBUTING DUCT*

Systems are capable of attaching field-supplied branch ducts distributing the airflow.



UP / DOWN SWING LOUVRE

The up / down louvre automatically swings up and down.



AUTO RESTART

In the event of a temporary power failure, the unit will automatically restart in the same operating mode as before, once power supply is restored



FRESH AIR INTAKE*

Fresh air can be taken in by a fan which can be connected using an external control unit.

CONVENIENCE FUNCTIONS



SLEEP TIMER

The micro-processor gradually changes the room temperature, allowing you to sleep comfortably at night.



PROGRAM TIMER

ON, OFF can be set up to 4 times in 1 day and up to 28 times in 1 week.



WEEKLY TIMER*

Different ON-OFF times can be set for up to 7 days.



WEEKLY + SETBACK TIMER*

Weekly + Setback timer can set temperature for two time spans and for each day of the week.



FILTER SIGN

Select appropriate intervals for displaying the filter sign on the indoor unit according to the estimated amount of dust in the air of the room.



ON-OFF TIMER

ON-OFF timer can be set to operate once every 24 hours.



LOW NOISE MODE*

The compressor speed and the outdoor unit fan speed are limited to reduce the operational noise.



SUPER QUIET MODE

The indoor units fan can operate at a low speed to produce quieter operation.



ENERGY EFFICIENT FUNCTIONS



HUMAN SENSOR*

The human sensor detects movement so that when occupants leave the room, the air conditioner switches into energy saving mode after 20 minutes should no movement be detected. When occupants re-enter the room, it returns to normal operation.



V-PAM

V-PAM inverter technology increases the maximum output of the compressor significantly and enables high power and high efficiency.



i-PAM

i-PAM inverter technology enables high output and high efficiency performance.



DEMAND CONTROL

This product is designed to be compatible with Air Conditioning Demand Response program. When your electricity supplier activates one of the three modes, the air conditioner switches over to the appropriate operation.



ECONOMY MODE

The economy operation will save energy in heating, cooling and dry mode. Economy operation is set by pressing the button on the remote control.

CLEAN FUNCTIONS



LONG-LIFE ION DEODORISATION FILTER*

The filter deodorises by powerfully decomposing absorbed odours using the oxidising and reducing effects of ion generated by the ultra-fine-particle ceramic.



WASHABLE PANEL*

Dust which accumulates on the air conditioner can be easily cleaned with a damp cloth.



APPLE-CATECHIN FILTER*

Fine dust, invisible mould spores and harmful microorganisms are absorbed onto the filter by static electricity and further growth is inhibited and deactivated by the polyphenol ingredient extracted from apples.



*Note: not all features available on all models, please refer to features checklist.

FEATURES CHECKLIST

	DESIGNER	WALL MOUNTED - CLASSIC		FLOOR / CEILING	COMPACT CASSETTE	SLIM DUCT
FEATURES	ASTG09/14LUCB	ASTG07/09/12LVCC	ASTG18LFC ASTG24LFC	ABTG18LVTA	AUTG09/12LVLB AUTG18LVLA	ARTG09/12LLLB ARTG18LLTA
COMFORT FUNCTIONS						
Powerful mode	✓	-	-	-	-	-
Automatic fan speed	✓	✓	✓	✓	✓	✓
Double swing automatic	-	-	✓	✓	-	-
10°C HEAT operation	✓	✓	✓	✓	✓	#
Right / Left swing louvre	-	-	✓	✓	-	-
Automatic louvre	✓	✓	✓	✓	-	*
Auto shut louvre	✓	✓	✓	-	-	*
Auto-changeover	✓	✓	✓	✓	✓	✓
Power diffuser	✓	✓	✓	✓	-	-
Connectable Fresh Air Duct	-	-	-	-	✓	-
Connectable Distributing Duct	✓	-	-	-	-	✓
Up / Down swing louvres	✓	✓	✓	✓	✓	*
Auto restart	✓	✓	✓	✓	✓	✓
Fresh air intake	-	-	-	-	✓	-
CONVENIENCE FUNCTIONS						
Sleep timer	✓	✓	✓	✓	✓	✓
Program timer	✓	✓	✓	✓	✓	✓
Weekly timer	✓	o	o	o	o	✓
Weekly + setback timer	o	o	o	o	o	✓
Filter sign	✓	✓	✓	✓	✓	✓
On-off timer	✓	✓	✓	✓	✓	✓
Low noise mode	✓	-	-	-	-	-
Super quiet mode	✓	✓	✓	✓	✓	✓
ENERGY EFFICIENT FUNCTIONS						
Human sensor	✓	-	-	-	-	-
v-PAM / i-PAM control models	✓	✓	✓	✓	✓	✓
Demand control	✓	✓	✓	✓	✓	✓
Economy mode	✓	✓	✓	✓	✓	✓
CLEAN FUNCTIONS						
Long-life ion deodorisation filter	✓	✓	✓	-	-	-
Washable panel	✓	✓	✓	✓	✓	✓
Apple-catechin filter	✓	✓	✓	-	-	-

o Optional feature when using a wired controller and communication kit where applicable.

Available when using a wireless remote only. * Available when optional auto louvre grille kit is purchased.

SPECIFICATIONS & FEATURES

Products in this brochure contain R410A refrigerant. Please refer to specifications before installation and servicing this product. Only persons and / or companies qualified and experienced in the installation, service and repair of refrigerant products should be permitted to do so. The purchaser must ensure that the person and / or company who is to install, service or repair this air conditioner has qualifications and experience in refrigerant products.

Suitable access for warranty and service is required. Future improvements, specifications, designs of product and availability are subject to change without notice. Please check with your dealer.

ALL CAPACITY AND ENERGY EFFICIENCY RATINGS ARE BASED ON AS / NZS3823.2.

COOLING	Indoor temperature	27°C DB / 19°C WB
	Outdoor temperature	35°C DB

HEATING	Indoor temperature	20°C DB
	Outdoor temperature	7°C DB / 6°C WB

Running current is at rated conditions (AS3823) and does not include compressor start-up or variations in power supply and load conditions.

CONTROLLER OPTIONS

WIRED REMOTE CONTROLLER



UTY-RVNYN



UTY-RNNYN

WIRELESS REMOTE CONTROLLER



AR-RAH2E



AR-RAH1E



AR-REA1E

GROUP CONTROLLER



UTY-DMMYM

IR RECEIVER UNIT



UTY-LRHYM



SIMPLE REMOTE CONTROLLER



UTY-RSNYN

LINE UP

TYPE	MODEL	INDOOR UNITS					
		COMPACT CASSETTE	SLIM DUCT	WALL MOUNTED			FLOOR/CEILING
				LVCC	LUCB	LFCC	
WIRED REMOTE CONTROLLER	UTY-RNNYN	○	A	○* ¹	○* ¹	○	○
	UTY-RVNYN	○	○	○* ¹	○* ¹	○	○
GROUP CONTROLLER	UTY-DMMYM	○* ²	○* ²	○* ²	○* ²	○* ²	○* ²
WIRELESS REMOTE CONTROLLER	AR-RAH2E	-	-	A	-	A	A
	AR-RAH1E	A	-	-	-	-	-
	AR-REA1E	-	-	-	A	-	-
IR RECEIVER UNIT	UTY-LRHYM	-	○	-	-	-	-
SIMPLE REMOTE CONTROLLER	UTY-RSNYN	○	○	○* ¹	○* ¹	○	○

A Standard Accessory ○ Optional – Not applicable ○*¹ Optional Communication Kit is necessary for the installation
 ○*² Optional when used with 5 and 6 head multi outdoor systems

CONTROLLER FEATURES

These wireless remote controllers are easy to use with simple function settings and a variety of built in timers, energy saving options and a super quiet option.

AR-RAH2E / AR-RAH1E

FEATURES:

- 4 Timer modes available (ON / OFF / PROGRAM / SLEEP)
- Easy operation



AR-REA1E

FEATURES:

- 5 Timer modes available (ON / OFF / PROGRAM / SLEEP / WEEKLY)
- Easy operation



There are three available options of wired controllers to suit every application required. Easy and simple to use, they help to ensure you get the most out of your air conditioning system.

UTY-RVNYN

FEATURES:

- Backlit controller
- 4 Timer modes available (ON / OFF / WEEKLY / AUTO OFF)
- Set temperature range limitation
- Large easy to press keys
- Built in thermosensor



UTY-RNNYN

FEATURES:

- 3 Timer modes available (ON / OFF / WEEKLY AND SETBACK)
- Built in thermosensor



UTY-RSNNY

FEATURES:

- Backlit controller
- No timer options
- Easy to use



UTY-DMMYM (EXCLUSIVE TO 5 AND 6 MULTI SYSTEMS)

FEATURES:

- Control and monitor up to 6 units individually or simultaneously
- Remote control prohibition
- 2 weekly timer schedules with 4 daily commands
- Economy and low noise modes





PRODUCT SPECIFICATIONS

WALL MOUNTED - DESIGNER RANGE

MODEL NUMBER		INDOOR UNIT		ASTG09LUCC	ASTG14LUCC
kW Class		kW		2.5kW Class	4.0kW Class
Power Source		V/PH/HZ		240 / 1 / 50	240 / 1 / 50
Sound Pressure Level	Cool	H/M/L/Q	dBA	36 / 32 / 28 / 21	41 / 36 / 33 / 25
	Heat			36 / 32 / 28 / 21	41 / 36 / 34 / 27
Airflow	Cool	H/M/L/Q	l/sec	167 / 153 / 131 / 92	197 / 178 / 158 / 108
	Heat			167 / 153 / 131 / 92	197 / 178 / 164 / 119
Net Dimensions		H x W x D		mm	282 x 870 x 185
Weight		kg		9.5	9.5
Pipe Size		Liquid / Gas		mm	6.35 / 9.52



WALL MOUNTED - COMPACT CLASSIC

MODEL NUMBER		INDOOR UNIT		ASTG07LVCC	ASTG09LVCC	ASTG12LVCC
kW Class		kW		2.0kW Class	2.5kW Class	3.5kW Class
Power Source		V/PH/HZ		240 / 1 / 50	240 / 1 / 50	240 / 1 / 50
Sound Pressure Level	Cool	H/M/L/Q	dBA	36 / 33 / 29 / 23	36 / 33 / 29 / 23	38 / 35 / 31 / 23
	Heat			36 / 33 / 32 / 22	36 / 33 / 32 / 23	38 / 35 / 33 / 24
Airflow	Cool	H/M/L/Q	l/sec	178 / 156 / 128 / 100	178 / 156 / 128 / 100	194 / 175 / 139 / 100
	Heat			178 / 161 / 150 / 100	178 / 161 / 150 / 106	194 / 175 / 161 / 111
Net Dimensions		H x W x D		mm	293 x 790 x 225	
Weight		kg		9.5	9.5	
Pipe Size		Liquid / Gas		mm	6.35 / 9.52	



WALL MOUNTED - CLASSIC

MODEL NUMBER		INDOOR UNIT		ASTG18LFCA	ASTG24LFCC
kW Class		kW		5.0kW Class	7.0kW Class
Power Source		V/PH/HZ		240 / 1 / 50	240 / 1 / 50
Sound Pressure Level	Cool	H/M/L/Q	dBA	43 / 37 / 33 / 26	49 / 42 / 37 / 33
	Heat			42 / 37 / 33 / 25	48 / 42 / 37 / 33
Airflow	Cool	H/M/L/Q	l/sec	250 / 206 / 172 / 153	311 / 250 / 206 / 172
	Heat			250 / 206 / 172 / 153	306 / 250 / 206 / 172
Net Dimensions		H x W x D		mm	320 x 998 x 238
Weight		kg		14	14
Pipe Size		Liquid / Gas		mm	6.35 / 12.7



PRODUCT SPECIFICATIONS

FLOOR AND CEILING CONSOLE

MODEL NUMBER		INDOOR UNIT		ABTG18LVTA	
kW Class				kW	
Power Source				V/PH/HZ	
Sound Pressure Level	Cool	H/M/L/Q	dBA	UC - 41 / 38 / 34 / 32	
	Heat			UC - 41 / 38 / 34 / 32	
	Cool	H/M/L/Q	dBA	FC - 44 / 41 / 37 / 35	
	Heat			FC - 44 / 41 / 37 / 35	
Airflow	Cool	H/M/L/Q	l/sec	217 / 194 / 156 / 139	
	Heat			217 / 194 / 156 / 139	
Net Dimensions		H x W x D		mm	
Weight				kg	
Pipe Size		Liquid / Gas		mm	



COMPACT CASSETTE

MODEL NUMBER		INDOOR UNIT		AUTG09LLVB		AUTG12LLVB		AUTG18LVLA	
kW Class				kW		2.5kW Class		3.5kW Class	
Power Source				V/PH/HZ		240 / 1 / 50		240 / 1 / 50	
Sound Pressure Level	Cool	H/M/L/Q	dBA	33 / 31 / 29 / 27		37 / 33 / 31 / 28		42 / 37 / 33 / 29	
	Heat			34 / 32 / 29 / 27		37 / 33 / 31 / 28		44 / 40 / 37 / 30	
Airflow	Cool	H/M/L/Q	l/sec	150 / 136 / 122 / 108		169 / 147 / 131 / 114		208 / 169 / 144 / 114	
	Heat			150 / 136 / 122 / 108		169 / 147 / 131 / 114		222 / 197 / 167 / 125	
Grille Model Number				UTG-UFYD-W		UTG-UFYD-W		UTG-UFYD-W	
Net Dimensions - Indoor		H x W x D		mm		245 x 570 x 570		245 x 570 x 570	
Weight - Indoor				kg		15		15	
Net Dimensions - Grille		H x W x D		mm		49 x 700 x 700		49 x 700 x 700	
Weight - Grille				kg		2.6		2.6	
Pipe Size		Liquid / Gas		mm		6.35 / 9.52		6.35 / 9.52	



SLIM DUCT

MODEL NUMBER		INDOOR UNIT		ARTG09LLLB		ARTG12LLLB		ARTG18LLTA	
kW Class				kW		2.5kW Class		3.5kW Class	
Power Source				V/PH/HZ		240 / 1 / 50		240 / 1 / 50	
Sound Pressure Level	Cool	H/M/L/Q	dBA	28 / 27 / 26 / 25		29 / 28 / 27 / 26		32 / 31 / 30 / 29	
	Heat			28 / 26 / 25 / 24		29 / 28 / 27 / 24		33 / 32 / 31 / 29	
Airflow	Cool	H/M/L/Q	l/sec	167 / 153 / 139 / 125		181 / 167 / 153 / 133		261 / 244 / 228 / 208	
	Heat			167 / 153 / 139 / 125		181 / 167 / 153 / 133		261 / 244 / 228 / 208	
Static Pressure Range				Pa		0 to 90		0 to 90	
Net Dimensions		H x W x D		mm		198 x 700 x 620		198 x 700 x 620	
Weight				kg		19		19	
Pipe Size		Liquid / Gas		mm		6.35 / 9.52		6.35 / 9.52	



PRODUCT SPECIFICATIONS

OUTDOOR SPECIFICATIONS

MODEL NUMBER			AOTG24LAT3	AOTG30LBTA4	AOTG36LBA5	AOTG45LBA6		
Cooling Capacity	Rated		kW	6.80	8.00	10.00	12.50	
	Range		kW	1.80 - 8.50	3.50 - 10.10	3.50 - 12.50	3.50 - 14.00	
Heating Capacity	Rated		kW	8.00	9.60	12.00	13.50	
	Range		kW	2.00 - 9.20	3.70 - 12.00	3.50 - 14.00	3.50 - 16.00	
Power Supply			V/PH/Hz	240 / 1 / 50	240 / 1 / 50	240 / 1 / 50	240 / 1 / 50	
Input	Cooling	Rated	kW	1.94	2.22	2.44	3.57	
		Max	kW	2.60	3.56	4.04	5.02	
	Heating	Rated	kW	2.00	2.40	2.79	3.37	
		Max	kW	2.87	3.58	3.98	4.59	
Running Current	Cooling	Rated	Amps	8.10	9.30	10.30	15.00	
		Max	Amps	12.50	15.70	20.60	23.90	
	Heating	Rated	Amps	8.40	10.10	11.80	14.20	
		Max	Amps	12.50	15.70	20.60	23.90	
Energy Efficiency			EER	3.50	3.60	4.10	3.50	
			AEER	3.448	3.527	4.156	3.487	
			COP	4.00	4.00	4.30	4.00	
			ACOP	3.992	3.967	4.370	3.996	
Compressor				DC Twin Rotary	DC Twin Rotary	DC Twin Rotary	DC Twin Rotary	
Refrigerant				R410A	R410A	R410A	R410A	
Outdoor Sound Pressure Level		Cooling	dBA	48	50	52	52	
		Heating	dBA	49	51	54	54	
Outdoor Sound Power Level			dBA	64	64	68	68	
Dimensions		H x W x D	mm	700 x 900 x 330	830 x 900 x 330	998 x 970 x 370	998 x 970 x 370	
Weight			kg	55	68	94	94	
Connection Pipe Sizes		Unit A	Liquid / Gas	mm	6.35 / 12.7	6.35 / 12.7	6.35 / 12.7	6.35 / 12.7
		Unit B	Liquid / Gas	mm	6.35 / 9.52	6.35 / 12.7	6.35 / 12.7	6.35 / 12.7
		Unit C	Liquid / Gas	mm	6.35 / 9.52	6.35 / 9.52	6.35 / 9.52	6.35 / 9.52
		Unit D	Liquid / Gas	mm	-	6.35 / 9.52	6.35 / 9.52	6.35 / 9.52
		Unit E	Liquid / Gas	mm	-	6.35 / 9.52	6.35 / 9.52	6.35 / 9.52
		Unit F	Liquid / Gas	mm	-	-	-	6.35 / 9.52
Precharged Pipe Length			m	30	30	50	50	
Minimum Pipe Length per indoor			m	5	5	5	5	
Minimum Pipe Length - Total			m	15	10	15	15	
Maximum Pipe Length per Indoor			m	25	25	25	25	
Maximum Pipe Length - Total			m	50	70	80	80	
Maximum Piping Height - Between Indoors			m	10	10	10	10	
Maximum Piping Height - Between Outdoor unit and each Indoor			m	15	15	15	15	
Pipe Connection Methods				Flare	Flare	Flare	Flare	
Outdoor operating temperature		Cooling	°C	-10 to 46	0 to 46	-10 to 46	-10 to 46	
		Heating	°C	-15 to 24	-10 to 24	-15 to 24	-15 to 24	

CONNECTION CHARTS

AOTG24LAT3 (2-3 ROOMS)

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	TOTAL
1	2	7	7	—	14
2		7	9	—	16
3		7	12	—	19
4		7	14	—	21
5		7	18	—	25
6		9	9	—	18
7		9	12	—	21
8		9	14	—	23
9		9	18	—	27
10		12	12	—	24
11		12	14	—	26
12		12	18	—	30
13	3	7	7	7	21
14		7	7	9	23
15		7	7	12	26
16		7	7	14	28
17		7	9	9	25
18		7	9	12	28
19		7	9	14	30
20		7	12	12	31
21		7	12	14	33
22		9	9	9	27
23		9	9	12	30
24		9	9	14	32
25		9	12	12	33
26		9	12	14	35
27		12	12	12	36

AOTG30LBTA4 (2-4 ROOMS)

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL
1	2	7	24	—	—	31
2		9	24	—	—	33
3		12	24	—	—	36
4		14	24	—	—	38
5		18	18	—	—	36
6		18	24	—	—	42
7		7	7	14	—	28
8		7	7	18	—	32
9		7	7	24	—	38
10		7	9	12	—	28
11		7	9	14	—	30
12		7	9	18	—	34
13		7	9	24	—	40
14		7	12	12	—	31
15		7	12	14	—	33
16		7	12	18	—	37
17		7	12	24	—	43
18	7	14	14	—	35	
19	7	14	18	—	39	
20	7	14	24	—	45	
21	7	18	18	—	43	
22	7	18	24	—	49	
23	3	9	9	9	—	27
24		9	9	12	—	30
25		9	9	14	—	32
26		9	9	18	—	36
27		9	9	24	—	42
28		9	12	12	—	33
29		9	12	18	—	39
30		9	12	24	—	45
31		9	14	14	—	37
32		9	14	18	—	41
33		9	14	24	—	47
34		9	18	18	—	45
35		12	12	12	—	36
36		12	12	14	—	38
37		12	12	18	—	42
38		12	12	24	—	48
39		12	14	14	—	40
40		12	14	18	—	44
41		12	18	18	—	48

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL
42	4	7	7	7	7	28
43		7	7	7	9	30
44		7	7	7	12	33
45		7	7	7	14	35
46		7	7	7	18	39
47		7	7	9	9	32
48		7	7	9	12	35
49		7	7	9	14	37
50		7	7	9	18	41
51		7	7	12	12	38
52		7	7	12	14	40
53		7	7	12	18	44
54		7	7	14	14	42
55		7	9	9	9	34
56		7	9	9	12	37
57		7	9	9	14	39
58		7	9	9	18	43
59		7	9	12	12	40
60		7	9	12	14	42
61		7	9	12	18	46
62		7	9	14	14	44
63		7	12	12	12	43
64		7	12	12	14	45
65		7	12	12	18	49
66		7	12	14	14	47
67		9	9	9	9	36
68		9	9	9	12	39
69		9	9	9	14	41
70		9	9	9	18	45
71		9	9	12	12	42
72		9	9	12	14	44
73		9	9	12	18	48
74		9	9	14	14	46
75		9	12	12	12	45
76		9	12	12	14	47
77		9	12	14	14	49
78		12	12	12	12	48

CONNECTION CHARTS

AOTG36LBLA5 (2-5 ROOMS)

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL
1	2	7	24	—	—	—	31
2		9	24	—	—	—	33
3		12	24	—	—	—	36
4		14	24	—	—	—	38
5		18	18	—	—	—	36
6		18	24	—	—	—	42
7		24	24	—	—	—	48
8	3	7	7	14	—	—	28
9		7	7	18	—	—	32
10		7	7	24	—	—	38
11		7	9	12	—	—	28
12		7	9	14	—	—	30
13		7	9	18	—	—	34
14		7	9	24	—	—	40
15		7	12	12	—	—	31
16		7	12	14	—	—	33
17		7	12	18	—	—	37
18		7	12	24	—	—	43
19		7	14	14	—	—	35
20		7	14	18	—	—	39
21		7	14	24	—	—	45
22		7	18	18	—	—	43
23		7	18	24	—	—	49
24		9	9	9	—	—	27
25		9	9	12	—	—	30
26		9	9	14	—	—	32
27		9	9	18	—	—	36
28		9	9	24	—	—	42
29		9	12	12	—	—	33
30		9	12	14	—	—	35
31	9	12	18	—	—	39	
32	9	12	24	—	—	45	
33	9	14	14	—	—	37	
34	9	14	18	—	—	41	
35	9	14	24	—	—	47	
36	9	18	18	—	—	45	
37	9	18	24	—	—	51	
38	12	12	12	—	—	36	
39	12	12	14	—	—	38	
40	12	12	18	—	—	42	
41	12	12	24	—	—	48	
42	12	14	14	—	—	40	
43	12	14	18	—	—	44	
44	12	14	24	—	—	50	
45	12	18	18	—	—	48	
46	12	18	24	—	—	54	
47	14	14	14	—	—	42	
48	14	14	18	—	—	46	
49	14	14	24	—	—	52	
50	14	18	18	—	—	50	
51	18	18	18	—	—	54	

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL
52	4	7	7	7	7	—	28
53		7	7	7	9	—	30
54		7	7	7	12	—	33
55		7	7	7	14	—	35
56		7	7	7	18	—	39
57		7	7	7	24	—	45
58		7	7	9	9	—	32
59		7	7	9	12	—	35
60		7	7	9	14	—	37
61		7	7	9	18	—	41
62		7	7	9	24	—	47
63		7	7	12	12	—	38
64		7	7	12	14	—	40
65		7	7	12	18	—	44
66		7	7	12	24	—	50
67		7	7	14	14	—	42
68		7	7	14	18	—	46
69		7	7	14	24	—	52
70		7	7	18	18	—	50
71		7	9	9	9	—	34
72		7	9	9	12	—	37
73		7	9	9	14	—	39
74		7	9	9	18	—	43
75		7	9	9	24	—	49
76		7	9	12	12	—	40
77		7	9	12	14	—	42
78		7	9	12	18	—	46
79		7	9	12	24	—	52
80		7	9	12	14	—	42
81		7	9	14	18	—	48
82		7	9	14	24	—	54
83		7	9	18	18	—	52
84		7	12	12	12	—	43
85		7	12	12	14	—	45
86		7	12	12	18	—	49
87		7	12	14	14	—	47
88		7	12	14	18	—	51
89		7	14	14	14	—	49
90		7	14	14	18	—	53
91		9	9	9	9	—	36
92		9	9	9	12	—	39
93		9	9	9	14	—	41
94		9	9	9	18	—	45
95	9	9	9	24	—	51	
96	9	9	12	12	—	42	
97	9	9	12	14	—	44	
98	9	9	12	18	—	48	
99	9	9	12	24	—	54	
100	9	9	14	14	—	46	
101	9	9	14	18	—	50	
102	9	9	18	18	—	54	
103	9	12	12	12	—	45	
104	9	12	12	14	—	47	
105	9	12	12	18	—	51	
106	9	12	14	14	—	49	
107	9	12	14	18	—	53	
108	9	14	14	14	—	51	
109	12	12	12	12	—	48	
110	12	12	12	14	—	50	
111	12	12	12	18	—	54	
112	12	12	14	14	—	52	
113	12	14	14	14	—	54	

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL
114	5	7	7	7	7	7	35
115		7	7	7	7	9	37
116		7	7	7	7	12	40
117		7	7	7	7	14	42
118		7	7	7	7	18	46
119		7	7	7	7	24	52
120		7	7	7	9	9	39
121		7	7	7	9	12	42
122		7	7	7	9	14	44
123		7	7	7	9	18	48
124		7	7	7	9	24	54
125		7	7	7	12	12	45
126		7	7	7	12	14	47
127		7	7	7	12	18	51
128		7	7	7	14	14	49
129		7	7	7	14	18	53
130		7	7	9	9	9	41
131		7	7	9	9	12	44
132		7	7	9	9	14	46
133		7	7	9	9	18	50
134		7	7	9	12	12	47
135		7	7	9	12	14	49
136		7	7	9	12	18	53
137		7	7	9	14	14	51
138		7	7	12	12	12	50
139		7	7	12	12	14	52
140		7	7	12	14	14	54
141		7	9	9	9	9	43
142		7	9	9	9	12	46
143		7	9	9	9	14	48
144		7	9	9	9	18	52
145		7	9	9	12	12	49
146		7	9	9	12	14	51
147		7	9	9	14	14	53
148		7	9	12	12	12	52
149		7	9	12	12	14	54
150		9	9	9	9	9	45
151		9	9	9	9	12	48
152		9	9	9	9	14	50
153		9	9	9	9	18	54
154		9	9	9	12	12	51
155		9	9	9	12	14	53
156		9	9	12	12	12	54

CONNECTION CHARTS

AOTG45LBLA6 (2-6 ROOMS)

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL
1		12	24	—	—	—	—	36
2	2	14	24	—	—	—	—	38
3		18	18	—	—	—	—	36
4		18	24	—	—	—	—	42
5		24	24	—	—	—	—	48
6	3	7	7	24	—	—	—	38
7		7	9	18	—	—	—	34
8		7	9	24	—	—	—	40
9		7	12	18	—	—	—	37
10		7	12	24	—	—	—	43
11		7	14	14	—	—	—	35
12		7	14	18	—	—	—	39
13		7	14	24	—	—	—	45
14		7	18	18	—	—	—	43
15		7	18	24	—	—	—	49
16	3	7	24	24	—	—	—	55
17		9	9	18	—	—	—	36
18		9	9	24	—	—	—	42
19		9	12	14	—	—	—	35
20		9	12	18	—	—	—	39
21		9	12	24	—	—	—	45
22		9	14	14	—	—	—	37
23		9	14	18	—	—	—	41
24		9	14	24	—	—	—	47
25		9	18	18	—	—	—	45
26	9	18	24	—	—	—	51	
27	9	24	24	—	—	—	57	
28	12	12	12	—	—	—	36	
29	12	12	14	—	—	—	38	
30	12	12	18	—	—	—	42	
31	12	12	24	—	—	—	48	
32	12	14	14	—	—	—	40	
33	12	14	18	—	—	—	44	
34	12	14	24	—	—	—	50	
35	12	18	18	—	—	—	48	
36	12	18	24	—	—	—	54	
37	12	24	24	—	—	—	60	
38	14	14	14	—	—	—	42	
39	14	14	18	—	—	—	46	
40	14	14	24	—	—	—	52	
41	14	18	18	—	—	—	50	
42	14	18	24	—	—	—	56	
43	14	24	24	—	—	—	62	
44	18	18	18	—	—	—	54	
45	18	18	24	—	—	—	60	
46	7	7	7	14	—	—	35	
47	7	7	7	18	—	—	39	
48	7	7	7	24	—	—	45	
49	7	7	9	12	—	—	35	
50	7	7	9	14	—	—	37	
51	7	7	9	18	—	—	41	
52	7	7	9	24	—	—	47	
53	7	7	12	12	—	—	38	
54	7	7	12	14	—	—	40	
55	7	7	12	18	—	—	44	
56	7	7	12	24	—	—	50	
57	7	7	14	14	—	—	42	
58	7	7	14	18	—	—	46	
59	7	7	14	24	—	—	52	
60	7	7	18	18	—	—	50	
61	7	7	18	24	—	—	56	
62	7	7	24	24	—	—	62	
63	7	9	9	9	—	—	34	
64	7	9	9	12	—	—	37	
65	7	9	9	14	—	—	39	
66	7	9	9	18	—	—	43	
67	7	9	9	24	—	—	49	
68	7	9	12	12	—	—	40	
69	7	9	12	14	—	—	42	
70	7	9	12	18	—	—	46	
71	7	9	12	24	—	—	52	
72	7	9	14	14	—	—	44	
73	7	9	14	18	—	—	48	
74	7	9	14	24	—	—	54	
75	7	9	18	18	—	—	52	
76	7	9	18	24	—	—	58	
77	7	12	12	12	—	—	43	
78	7	12	12	14	—	—	45	
79	7	12	12	18	—	—	49	
80	7	12	12	24	—	—	55	
81	7	12	14	14	—	—	47	
82	7	12	14	18	—	—	51	
83	7	12	14	24	—	—	57	
84	7	12	18	18	—	—	55	
85	7	12	18	24	—	—	61	

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL
86		7	14	14	14	—	—	49
87		7	14	14	18	—	—	53
88		7	14	14	24	—	—	59
89		7	14	18	18	—	—	57
90		7	18	18	18	—	—	61
91	4	9	9	9	9	—	—	36
92		9	9	9	12	—	—	39
93		9	9	9	14	—	—	41
94		9	9	9	18	—	—	45
95		9	9	9	24	—	—	51
96		9	9	12	12	—	—	42
97		9	9	12	14	—	—	44
98		9	9	12	18	—	—	48
99		9	9	12	24	—	—	54
100		9	9	14	14	—	—	46
101	9	9	14	18	—	—	50	
102	9	9	14	24	—	—	56	
103	9	9	18	18	—	—	54	
104	9	9	18	24	—	—	60	
105	9	12	12	12	—	—	45	
106	9	12	12	14	—	—	47	
107	9	12	12	18	—	—	51	
108	9	12	12	24	—	—	57	
109	9	12	14	14	—	—	49	
110	9	12	14	18	—	—	53	
111	9	12	14	24	—	—	59	
112	9	12	18	18	—	—	57	
113	9	14	14	14	—	—	51	
114	9	14	14	18	—	—	55	
115	9	14	14	24	—	—	61	
116	9	14	18	18	—	—	59	
117	12	12	12	12	—	—	48	
118	12	12	12	14	—	—	50	
119	12	12	12	18	—	—	54	
120	12	12	12	24	—	—	60	
121	12	12	14	14	—	—	52	
122	12	12	14	18	—	—	56	
123	12	12	14	24	—	—	62	
124	12	12	18	18	—	—	60	
125	12	14	14	14	—	—	54	
126	12	14	14	18	—	—	58	
127	12	14	18	18	—	—	62	
128	7	7	7	7	7	—	35	
129	7	7	7	7	9	—	37	
130	7	7	7	7	12	—	40	
131	7	7	7	7	14	—	42	
132	7	7	7	7	18	—	46	
133	7	7	7	7	24	—	52	
134	7	7	7	9	9	—	39	
135	7	7	7	9	12	—	42	
136	7	7	7	9	14	—	44	
137	7	7	7	9	18	—	48	
138	7	7	7	9	24	—	54	
139	7	7	7	12	12	—	45	
140	7	7	7	12	14	—	47	
141	7	7	7	12	18	—	51	
142	7	7	7	12	24	—	57	
143	7	7	7	14	14	—	49	
144	7	7	7	14	18	—	53	
145	7	7	7	14	24	—	59	
146	7	7	7	18	18	—	57	
147	7	7	9	9	9	—	41	
148	7	7	9	9	12	—	44	
149	7	7	9	9	14	—	46	
150	7	7	9	9	18	—	50	
151	7	7	9	9	24	—	56	
152	7	7	9	12	12	—	47	
153	7	7	9	12	14	—	49	
154	7	7	9	12	18	—	53	
155	7	7	9	12	24	—	59	
156	7	7	9	14	14	—	51	
157	7	7	9	14	18	—	55	
158	7	7	9	14	24	—	61	
159	7	7	9	18	18	—	59	
160	7	7	12	12	12	—	50	
161	7	7	12	12	14	—	52	
162	7	7	12	12	18	—	56	
163	7	7	12	12	24	—	62	
164	7	7	12	14	14	—	54	
165	7	7	12	14	18	—	58	
166	7	7	12	18	18	—	62	
167	7	7	14	14	14	—	56	
168	7	7	14	14	18	—	60	
169	7	9	9	9	9	—	43	
170	7	9	9	9	12	—	46	

NO.	ROOMS	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL
171		7	9	9	9	14	—	48
172		7	9	9	9	18	—	52
173		7	9	9	9	24	—	58
174		7	9	9	12	12	—	49
175		7	9	9	12	14	—	51
176		7	9	9	12	18	—	55
177		7	9	9	12	24	—	61
178		7	9	9	14	14	—	53
179		7	9	9	14	18	—	57
180		7	9	9	18	18	—	61
181		7	9	12	12	12	—	52
182		7	9	12	12	14	—	54
183		7	9	12	12	18	—	58
184		7	9	12	14	14	—	56
185		7	9	12	14	18	—	60
186		7	9	14	14	14	—	58
187		7	9	14	14	18	—	62
188		7	12	12	12	12	—	55
189		7	12	12	12	14	—	57
190		7	12	12	12	18	—	61
191		7	12	12	14	14	—	59
192		7	12	14	14	14	—	61
193		9	9	9	9	9	—	45
194		9	9	9	9	12	—	48
195		9	9	9	9	14	—	50
196		9	9	9	9	18	—	54
197		9	9	9	9	24	—	60
198		9	9	9	12	12	—	51
199		9	9	9	12	14	—	53
200		9	9	9	12	18	—	57
201		9	9	9	14	14	—	55
202		9	9	9	14	18	—	59
203		9	9	12	1			

OPERATING CAPACITY CHARTS

COOLING – AOTG24LAT3

	COMBINATION OF INDOOR UNITS				COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)			COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)			TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 1	ROOM 2	ROOM 3	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
	min. 14 kBtu	7	-	-	7	2.30	-	-	2.70	-	-	1.5	2.3	2.7	0.45	0.65	0.75
max. 36 kBtu	9	-	-	9	2.70	-	-	3.30	-	-	1.5	2.7	3.3	0.45	0.80	1.09	3.38
	12	-	-	12	3.50	-	-	3.70	-	-	1.5	3.5	3.7	0.45	1.09	1.15	3.21
	14	-	-	14	4.20	-	-	4.80	-	-	1.5	4.2	4.8	0.45	1.16	1.41	3.62
	18	-	-	18	5.00	-	-	5.60	-	-	1.8	5.0	5.6	0.50	1.50	1.96	3.33
	7	7	-	14	2.30	2.30	-	2.50	2.50	-	1.8	4.6	5.0	0.50	1.20	1.40	3.83
	7	9	-	16	2.30	2.70	-	2.62	3.08	-	1.8	5.0	5.7	0.50	1.36	1.78	3.68
	7	12	-	19	2.38	3.42	-	2.51	3.59	-	1.8	5.8	6.1	0.50	1.70	1.97	3.41
	7	14	-	21	2.37	4.13	-	2.63	4.57	-	1.8	6.5	7.2	0.50	1.91	2.46	3.40
	7	18	-	25	2.08	4.52	-	2.46	5.34	-	1.8	6.6	7.8	0.50	1.91	2.87	3.46
	9	9	-	18	2.75	2.75	-	3.10	3.10	-	1.8	5.5	6.2	0.50	1.55	2.02	3.55
	9	12	-	21	2.79	3.41	-	3.06	3.74	-	1.8	6.2	6.8	0.50	1.90	2.45	3.26
	9	14	-	23	2.66	3.94	-	3.10	4.60	-	1.8	6.6	7.7	0.50	1.91	2.77	3.46
	9	18	-	27	2.35	4.35	-	2.77	5.13	-	1.8	6.7	7.9	0.50	1.91	2.87	3.51
	12	12	-	24	3.15	3.15	-	3.60	3.60	-	1.8	6.3	7.2	0.50	1.90	2.74	3.32
	12	14	-	26	3.03	3.67	-	3.53	4.27	-	1.8	6.7	7.8	0.50	1.91	2.87	3.51
	12	18	-	30	2.66	4.04	-	3.14	4.76	-	1.8	6.7	7.9	0.50	1.92	2.87	3.49
	7	7	7	21	2.72	2.72	2.72	2.47	2.47	2.47	1.8	6.8	7.4	0.50	1.92	2.37	2.54
	7	7	9	23	2.14	2.14	2.52	2.46	2.46	2.88	1.8	6.8	7.8	0.50	1.93	2.60	3.52
	7	7	12	26	1.98	1.98	2.84	2.36	2.36	3.38	1.8	6.8	8.1	0.50	1.93	2.87	3.52
	7	7	14	28	1.82	1.82	3.16	2.25	2.25	3.91	2.0	6.8	8.4	0.60	1.94	2.87	3.51
	7	9	9	25	2.03	2.38	2.38	2.45	2.88	2.88	1.8	6.8	8.2	0.50	1.93	2.87	3.52
	7	9	12	28	1.88	2.21	2.70	2.27	2.67	3.26	1.8	6.8	8.2	0.50	1.93	2.87	3.52
	7	9	14	30	1.74	2.04	3.02	2.15	2.52	3.73	2.0	6.8	8.4	0.60	1.94	2.87	3.51
	7	12	12	31	1.76	2.52	2.52	2.12	3.04	3.04	1.8	6.8	8.2	0.50	1.94	2.87	3.51
	7	12	14	33	1.63	2.34	2.83	2.04	2.92	3.54	2.0	6.8	8.5	0.60	1.94	2.87	3.51
	9	9	9	27	2.27	2.27	2.27	2.73	2.73	2.73	1.8	6.8	8.2	0.50	1.94	2.87	3.51
	9	9	12	30	2.11	2.11	2.58	2.58	2.58	3.15	1.8	6.8	8.3	0.50	1.94	2.87	3.51
	9	9	14	32	1.95	1.95	2.89	2.44	2.44	3.62	2.0	6.8	8.5	0.60	1.94	2.87	3.51
	9	12	12	33	1.97	2.41	2.41	2.41	2.95	2.95	1.8	6.8	8.3	0.50	1.94	2.87	3.51
	9	12	14	35	1.84	2.24	2.72	2.30	2.81	3.40	2.0	6.8	8.5	0.60	1.94	2.87	3.51
12	12	12	36	2.27	2.27	2.27	2.77	2.77	2.77	1.8	6.8	8.3	0.50	1.94	2.87	3.51	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG24LAT3

	COMBINATION OF INDOOR UNITS				HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)			HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)			TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			COP
	ROOM 1	ROOM 2	ROOM 3	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 1	ROOM 2	ROOM 3	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
min. 14 kBtu	7	-	-	7	2.70	-	-	3.30	-	-	1.5	2.7	3.3	0.43	0.83	1.00	3.25
max. 36 kBtu	9	-	-	9	3.30	-	-	4.20	-	-	1.5	3.3	4.2	0.42	1.00	1.30	3.30
	12	-	-	12	3.80	-	-	4.80	-	-	1.5	3.8	4.8	0.42	1.26	1.62	3.02
	14	-	-	14	4.80	-	-	5.80	-	-	1.5	4.8	5.8	0.42	1.30	1.70	3.69
	18	-	-	18	6.00	-	-	7.10	-	-	1.6	6.0	7.1	0.42	1.85	2.40	3.24
	7	7	-	14	2.75	2.75	-	3.00	3.00	-	2.0	5.5	6.1	0.52	1.55	1.93	3.55
	7	9	-	16	2.80	3.30	-	3.21	3.79	-	2.0	6.1	7.0	0.52	1.82	2.52	3.35
	7	12	-	19	2.88	4.12	-	3.01	4.29	-	2.0	7.0	7.3	0.52	2.31	2.66	3.03
	7	14	-	21	2.80	4.80	-	3.06	5.24	-	2.0	7.6	8.3	0.50	2.28	2.87	3.33
	7	18	-	25	2.51	5.39	-	2.64	5.66	-	2.0	7.9	8.3	0.50	2.34	2.87	3.38
	9	9	-	18	3.30	3.30	-	3.70	3.70	-	2.0	6.6	7.4	0.52	2.04	2.68	3.24
	9	12	-	21	3.30	4.00	-	3.48	4.22	-	2.0	7.3	7.7	0.52	2.43	2.87	3.00
	9	14	-	23	3.22	4.68	-	3.38	4.92	-	2.0	7.9	8.3	0.50	2.38	2.87	3.32
	9	18	-	27	2.84	5.16	-	3.02	5.48	-	2.0	8.0	8.5	0.50	2.32	2.87	3.45
	12	12	-	24	3.80	3.80	-	3.90	3.90	-	2.0	7.6	7.8	0.52	2.54	2.87	2.99
	12	14	-	26	3.59	4.31	-	3.82	4.58	-	2.0	7.9	8.4	0.50	2.37	2.87	3.33
	12	18	-	30	3.20	4.80	-	3.44	5.16	-	2.0	8.0	8.6	0.50	2.31	2.87	3.46
	7	7	7	21	2.47	2.47	2.47	2.87	2.87	2.87	2.0	7.4	8.6	0.50	2.05	2.68	3.61
	7	7	9	23	2.42	2.42	2.86	2.77	2.77	3.26	2.0	7.7	8.8	0.50	2.11	2.87	3.65
	7	7	12	26	2.28	2.28	3.25	2.60	2.60	3.71	2.0	7.8	8.9	0.50	2.10	2.80	3.71
	7	7	14	28	2.13	2.13	3.65	2.48	2.48	4.25	2.0	7.9	9.2	0.50	2.02	2.72	3.91
	7	9	9	25	2.32	2.74	2.74	2.68	3.16	3.16	2.0	7.8	9.0	0.50	2.10	2.87	3.71
	7	9	12	28	2.16	2.55	3.09	2.52	2.97	3.60	2.0	7.8	9.1	0.50	2.09	2.87	3.73
	7	9	14	30	2.06	2.42	3.52	2.36	2.79	4.05	2.0	8.0	9.2	0.50	2.02	2.72	3.96
	7	12	12	31	2.05	2.93	2.93	2.36	3.37	3.37	2.0	7.9	9.1	0.50	2.08	2.87	3.80
	7	12	14	33	1.93	2.76	3.31	2.22	3.17	3.81	2.0	8.0	9.2	0.50	2.01	2.70	3.98
	9	9	9	27	2.63	2.63	2.63	3.03	3.03	3.03	2.0	7.9	9.1	0.50	2.09	2.87	3.78
	9	9	12	30	2.46	2.46	2.98	2.86	2.86	3.47	2.0	7.9	9.2	0.50	2.08	2.87	3.80
	9	9	14	32	2.32	2.32	3.37	2.66	2.66	3.87	2.0	8.0	9.2	0.50	2.00	2.70	4.00
	9	12	12	33	2.34	2.83	2.83	2.69	3.26	3.26	2.0	8.0	9.2	0.50	2.07	2.80	3.86
	9	12	14	35	2.18	2.64	3.17	2.51	3.04	3.65	2.0	8.0	9.2	0.50	2.00	2.69	4.00
12	12	12	36	2.67	2.67	2.67	3.07	3.07	3.07	2.0	8.0	9.2	0.50	2.06	2.78	3.88	

OPERATING CAPACITY CHARTS

COOLING – AOTG30LBTA4

	COMBINATION OF INDOOR UNITS					COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)				COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)				TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 1	ROOM 2	ROOM 3	ROOM 4	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
	min. 27 kBtu max. 49 kBtu	7	-	-	-	7	2.30	-	-	-	2.70	-	-	-	1.6	2.3	2.7	0.56	0.76	0.99
	9	-	-	-	9	2.70	-	-	-	3.40	-	-	-	1.6	2.7	3.4	0.56	0.94	1.25	2.87
	12	-	-	-	12	3.50	-	-	-	3.80	-	-	-	1.6	3.5	3.8	0.56	1.24	1.40	2.82
	14	-	-	-	14	4.00	-	-	-	4.50	-	-	-	1.7	4.0	4.5	0.57	1.40	1.68	2.86
	18	-	-	-	18	5.20	-	-	-	6.00	-	-	-	1.7	5.2	6.0	1.68	1.56	2.20	3.10
	24	-	-	-	24	6.80	-	-	-	7.40	-	-	-	1.8	6.8	7.4	0.56	2.40	2.86	2.83
	7	7	-	-	14	2.30	2.30	-	-	2.60	2.60	-	-	1.8	4.6	5.2	0.60	1.42	1.62	3.24
	7	9	-	-	16	2.30	2.70	-	-	2.60	3.40	-	-	1.8	5.0	6.0	0.60	1.60	2.16	3.13
	7	12	-	-	19	2.30	3.50	-	-	2.50	3.70	-	-	1.8	5.8	6.2	0.60	2.00	2.20	2.90
	7	14	-	-	21	2.30	4.00	-	-	2.60	4.50	-	-	1.8	6.3	7.1	0.60	2.15	2.50	2.93
	7	18	-	-	25	2.10	4.80	-	-	2.50	5.70	-	-	2.8	6.9	8.2	0.90	2.10	2.85	3.29
	7	24	-	-	31	1.80	5.40	-	-	2.30	7.00	-	-	2.8	7.2	9.3	0.90	2.16	3.58	3.33
	9	9	-	-	18	2.70	2.70	-	-	3.20	3.20	-	-	1.8	5.4	6.4	0.60	1.68	2.23	3.21
	9	12	-	-	21	2.70	3.50	-	-	3.00	3.80	-	-	2.8	6.2	6.8	0.90	2.16	2.50	2.87
	9	14	-	-	23	2.70	4.00	-	-	3.10	4.70	-	-	2.8	6.7	7.6	0.90	2.35	2.90	2.85
	9	18	-	-	27	2.40	4.60	-	-	3.00	5.70	-	-	2.8	7.0	8.7	0.90	2.15	3.25	3.26
	9	24	-	-	33	2.07	5.23	-	-	2.70	6.80	-	-	2.8	7.3	9.5	0.90	2.15	3.52	3.40
	12	12	-	-	24	3.35	3.35	-	-	3.65	3.65	-	-	2.8	6.7	7.3	0.90	2.36	2.80	2.84
	12	14	-	-	26	3.22	3.68	-	-	4.00	4.50	-	-	2.8	6.9	8.5	0.90	2.18	3.30	3.17
	12	18	-	-	30	2.82	4.18	-	-	3.66	5.44	-	-	2.8	7.0	9.1	0.90	2.15	3.52	3.26
	12	24	-	-	36	2.48	4.82	-	-	3.23	6.27	-	-	2.8	7.3	9.5	0.90	2.15	3.52	3.40
	14	14	-	-	28	3.55	3.55	-	-	4.50	4.50	-	-	2.8	7.1	9.0	0.90	2.20	3.40	3.23
	14	18	-	-	32	3.13	4.07	-	-	4.04	5.26	-	-	2.8	7.2	9.3	0.90	2.20	3.52	3.27
	14	24	-	-	38	2.74	4.66	-	-	3.59	6.11	-	-	3.4	7.4	9.7	1.10	2.20	3.52	3.36
	18	18	-	-	36	3.70	3.70	-	-	4.85	4.85	-	-	3.4	7.4	9.7	1.10	2.20	3.52	3.36
	18	24	-	-	42	3.25	4.25	-	-	4.29	5.61	-	-	3.4	7.5	9.9	1.10	2.20	3.52	3.41
	7	7	7	-	21	2.30	2.30	2.30	-	2.50	2.50	2.50	-	1.8	6.9	7.5	0.60	2.20	2.44	3.14
	7	7	9	-	23	2.30	2.30	2.70	-	2.43	2.43	2.85	-	2.8	7.3	7.7	0.90	2.35	2.55	3.11
	7	7	12	-	26	1.99	1.99	3.02	-	2.33	2.33	3.54	-	2.8	7.0	8.2	0.90	2.17	2.90	3.23
	7	7	14	-	28	1.96	1.96	3.27	-	2.43	2.43	4.05	-	1.6	7.2	8.9	0.66	2.22	3.43	3.24
	7	7	18	-	32	1.81	1.81	4.08	-	2.35	2.35	5.29	-	2.8	7.7	10.0	0.96	2.22	3.55	3.47
	7	7	24	-	38	1.61	1.61	4.57	-	2.09	2.09	5.92	-	2.8	7.8	10.1	0.98	2.19	3.53	3.56
	7	9	9	-	25	2.09	2.45	2.45	-	2.48	2.91	2.91	-	2.6	7.0	8.3	0.90	2.17	2.90	3.23
	7	9	12	-	28	2.08	2.34	2.78	-	2.57	2.90	3.43	-	1.6	7.2	8.9	0.68	2.22	3.41	3.24
	7	9	14	-	30	1.90	2.14	3.16	-	2.40	2.70	4.00	-	2.8	7.2	9.1	0.98	2.22	3.56	3.24
	7	9	18	-	34	1.76	1.98	3.96	-	2.26	2.55	5.09	-	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	7	9	24	-	40	1.57	1.77	4.46	-	2.04	2.29	5.77	-	2.8	7.8	10.1	0.98	2.19	3.53	3.56
	7	12	12	-	31	1.96	2.62	2.62	-	2.48	3.31	3.31	-	1.6	7.2	9.1	0.68	2.22	3.54	3.24
	7	12	14	-	33	1.83	2.43	3.04	-	2.30	3.07	3.83	-	2.8	7.3	9.2	0.98	2.22	3.56	3.29
	7	12	18	-	37	1.68	2.24	3.78	-	2.16	2.88	4.86	-	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	7	12	24	-	43	1.51	2.01	4.28	-	1.95	2.61	5.54	-	2.8	7.8	10.1	0.98	2.19	3.56	3.56
	7	14	14	-	35	1.68	2.81	2.81	-	2.15	3.58	3.58	-	2.8	7.3	9.3	0.98	2.22	3.58	3.29
	7	14	18	-	39	1.57	2.61	3.52	-	2.03	3.39	3.58	-	3.5	7.7	10.0	1.17	2.22	3.58	3.47
	7	14	24	-	45	1.44	2.39	4.07	-	1.84	3.06	5.20	-	3.5	7.9	10.1	1.17	2.20	3.58	3.59
	7	18	18	-	43	1.42	3.19	3.19	-	1.84	4.13	4.13	-	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	7	18	24	-	49	1.30	2.92	3.66	-	1.66	3.74	4.70	-	4.7	7.9	10.1	1.27	2.22	3.58	3.56
	9	9	9	-	27	2.40	2.40	2.40	-	2.97	2.97	2.97	-	2.8	7.2	8.9	0.96	2.22	3.42	3.24
	9	9	12	-	30	2.26	2.26	2.68	-	2.86	2.86	3.39	-	2.8	7.2	9.1	0.98	2.22	3.54	3.24
	9	9	14	-	32	2.10	2.10	3.11	-	2.64	2.64	3.91	-	2.8	7.3	9.2	0.98	2.22	3.57	3.29
	9	9	18	-	36	1.93	1.93	3.85	-	2.48	2.48	4.95	-	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	9	9	24	-	42	1.73	1.73	4.35	-	2.24	2.24	5.63	-	2.8	7.8	10.1	1.17	2.20	3.54	3.55
	9	12	12	-	33	2.14	2.53	2.53	-	2.70	3.20	3.20	-	2.8	7.2	9.1	0.98	2.22	3.54	3.24

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

COOLING – AOTG30LBTA4

	COMBINATION OF INDOOR UNITS					COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)				COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)				TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 1	ROOM 2	ROOM 3	ROOM 4	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
	min. 27 kBtu max. 49 kBtu	9	12	14	-	35	1.99	2.36	2.95	-	2.51	2.97	3.72	-	2.8	7.3	9.2	0.98	2.22	3.57
	9	12	18	-	39	1.84	2.18	3.68	-	2.37	2.80	4.73	-	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	9	12	24	-	45	1.66	1.97	4.18	-	2.15	2.54	5.41	-	2.8	7.8	10.1	0.96	2.19	3.56	3.56
	9	14	14	-	37	1.84	2.73	2.73	-	2.35	3.48	3.48	-	3.5	7.3	9.3	1.17	2.22	3.56	3.29
	9	14	18	-	41	1.74	2.58	3.48	-	2.23	3.31	4.46	-	3.5	7.8	10.0	1.17	2.22	3.58	3.51
	9	14	24	-	47	1.58	2.34	3.98	-	2.02	2.99	5.09	-	3.5	7.9	10.1	1.27	2.22	3.56	3.56
	9	18	18	-	45	1.56	3.12	3.12	-	2.02	4.04	4.04	-	4.7	7.8	10.1	1.27	2.22	3.58	3.51
	12	12	12	-	36	2.43	2.43	2.43	-	3.07	3.07	3.07	-	2.8	7.3	9.2	0.98	2.22	3.55	3.29
	12	12	14	-	38	2.26	2.26	2.86	-	2.86	2.86	3.58	-	2.8	7.4	9.3	0.98	2.22	3.58	3.33
	12	12	18	-	42	2.12	2.12	3.57	-	2.71	2.71	4.58	-	3.5	7.8	10.0	1.17	2.22	3.57	3.51
	12	12	24	-	48	1.92	1.92	4.07	-	2.45	2.45	5.20	-	3.5	7.9	10.1	1.17	2.20	3.54	3.59
	12	14	14	-	40	2.11	2.64	2.64	-	2.69	3.36	3.36	-	3.5	7.4	9.4	1.17	2.22	3.58	3.33
	12	14	18	-	44	1.98	2.48	3.34	-	2.57	3.21	4.33	-	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	12	18	18	-	48	1.81	3.05	3.05	-	2.31	3.90	3.90	-	4.7	7.9	10.1	1.27	2.22	3.58	3.56
	7	7	7	7	28	1.90	1.90	1.90	1.90	2.40	2.40	2.40	2.40	1.6	7.6	9.6	0.68	2.20	3.41	3.45
	7	7	7	9	30	1.84	1.84	1.84	2.07	2.38	2.38	2.38	2.67	1.6	7.6	9.8	0.68	2.22	3.54	3.42
	7	7	7	12	33	1.78	1.78	1.78	2.37	2.28	2.28	2.28	3.05	1.6	7.7	9.9	0.68	2.22	3.54	3.47
	7	7	7	14	35	1.65	1.65	1.65	2.75	2.12	2.12	2.12	3.54	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	7	7	7	18	39	1.52	1.52	1.52	3.43	1.92	1.92	1.92	4.33	2.8	8.0	10.1	0.98	2.20	3.55	3.64
	7	7	9	9	32	1.81	1.81	2.04	2.04	2.28	2.28	2.57	2.57	2.8	7.7	9.7	0.98	2.22	3.42	3.47
	7	7	9	12	35	1.73	1.73	1.94	2.30	2.22	2.22	2.50	2.96	2.8	7.7	9.9	0.98	2.22	3.55	3.47
	7	7	9	14	37	1.61	1.61	1.81	2.68	2.09	2.09	2.35	3.48	2.8	7.7	10.0	0.98	2.22	3.57	3.47
	7	7	9	18	41	1.49	1.49	1.67	3.35	1.88	1.88	2.11	4.23	3.5	8.0	10.1	1.17	2.20	3.55	3.64
	7	7	12	12	38	1.65	1.65	2.20	2.20	2.14	2.14	2.86	2.86	2.8	7.7	10.0	0.98	2.22	3.55	3.47
	7	7	12	14	40	1.56	1.56	2.08	2.60	2.00	2.00	2.67	3.33	2.8	7.8	10.0	0.98	2.22	3.57	3.51
	7	7	12	18	44	1.43	1.43	1.91	3.22	1.81	1.81	2.41	4.07	3.5	8.0	10.1	1.17	2.20	3.56	3.64
	7	7	14	14	42	1.50	1.50	2.50	2.50	1.89	1.89	3.16	3.16	3.5	8.0	10.1	1.17	2.22	3.58	3.60
	7	9	9	9	34	1.76	1.98	1.98	1.98	2.26	2.55	2.55	2.55	2.8	7.7	9.9	0.98	2.22	3.56	3.47
	7	9	9	12	37	1.68	1.89	1.89	2.24	2.18	2.45	2.45	2.91	2.8	7.7	10.0	0.98	2.22	3.56	3.47
	7	9	9	14	39	1.59	1.78	1.78	2.64	2.05	2.31	2.31	3.42	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	7	9	9	18	43	1.45	1.64	1.64	3.27	1.84	2.07	2.07	4.13	3.5	8.0	10.1	1.17	2.22	3.56	3.60
	7	9	12	12	40	1.63	1.83	2.17	2.17	2.09	2.35	2.78	2.78	2.8	7.8	10.0	0.98	2.22	3.56	3.51
	7	9	12	14	42	1.52	1.71	2.03	2.54	1.97	2.22	2.63	3.28	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	7	9	12	18	46	1.40	1.58	1.87	3.15	1.77	1.99	2.36	3.98	3.5	8.0	10.1	1.17	2.22	3.56	3.60
	7	9	14	14	44	1.45	1.63	2.41	2.41	1.85	2.08	3.08	3.08	3.5	7.9	10.1	1.17	2.22	3.58	3.56
	7	12	12	12	43	1.56	2.08	2.08	2.08	2.02	2.69	2.69	2.69	2.8	7.8	10.1	0.98	2.22	3.56	3.51
	7	12	12	14	45	1.48	1.98	1.98	2.47	1.89	2.53	2.53	3.16	3.5	7.9	10.1	1.17	2.22	3.58	3.56
	7	12	12	18	49	1.35	1.80	1.80	3.04	1.71	2.28	2.28	3.84	3.5	8.0	10.1	1.17	2.22	3.56	3.60
	7	12	14	14	47	1.39	1.86	2.32	2.32	1.78	2.38	2.97	2.97	3.5	7.9	10.1	1.17	2.22	3.58	3.56
	9	9	9	9	36	1.93	1.93	1.93	1.93	2.50	2.50	2.50	2.50	3.5	7.7	10.0	1.17	2.22	3.56	3.47
	9	9	9	12	39	1.86	1.86	1.86	2.21	2.39	2.39	2.39	2.83	3.5	7.8	10.0	1.17	2.22	3.57	3.51
	9	9	9	14	41	1.74	1.74	1.74	2.58	2.25	2.25	2.25	3.34	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	9	9	9	18	45*1	1.60	1.60	1.60	3.20	2.02	2.02	2.02	4.04	4.7	8.0	10.1	1.27	2.22	3.58	3.60
	9	9	12	12	42	1.78	1.78	2.12	2.12	2.31	2.31	2.74	2.74	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	9	9	12	14	44	1.67	1.67	1.98	2.48	2.16	2.16	2.57	3.21	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	9	9	12	18	48*2	1.54	1.54	1.83	3.09	1.95	1.95	2.31	3.90	4.7	8.0	10.1	1.27	2.22	3.58	3.60
	9	9	14	14	46	1.59	1.59	2.36	2.36	2.04	2.04	3.01	3.01	4.7	7.9	10.1	1.27	2.22	3.58	3.56
	9	12	12	12	45	1.71	2.03	2.03	2.03	2.22	2.63	2.63	2.63	3.5	7.8	10.1	1.17	2.22	3.58	3.51
	9	12	12	14	47	1.63	1.93	1.93	2.41	2.08	2.47	3.08	3.08	3.5	7.9	10.1	1.17	2.22	3.58	3.56
	9	12	14	14	49	1.53	1.82	2.27	2.27	1.96	2.33	2.91	2.91	4.7	7.9	10.1	1.27	2.22	3.58	3.56
	12	12	12	12	48	2.00	2.00	2.00	2.00	2.53	2.53	2.53	2.53	3.5	8.0	10.1	1.17	2.22	3.58	3.60

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.

*2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.

Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

HEATING – AOTG30LBTA4

	COMBINATION OF INDOOR UNITS					HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)				HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)				TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 1	ROOM 2	ROOM 3	ROOM 4	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
min. 27 kBtu max. 49 kBtu	7	-	-	-	7	2.70	-	-	-	3.30	-	-	-	1.5	2.7	3.3	0.55	1.00	1.25	2.70
	9	-	-	-	9	3.30	-	-	-	3.70	-	-	-	1.5	3.3	3.7	0.55	1.22	1.41	2.70
	12	-	-	-	12	3.80	-	-	-	4.50	-	-	-	1.5	3.6	4.5	0.55	1.40	1.80	2.71
	14	-	-	-	14	4.80	-	-	-	5.80	-	-	-	1.7	4.8	5.8	0.58	1.48	1.90	3.24
	18	-	-	-	18	6.00	-	-	-	7.10	-	-	-	3.2	6.0	7.1	0.90	1.90	2.46	3.16
	24	-	-	-	24	8.20	-	-	-	9.00	-	-	-	3.2	8.2	9.0	0.90	2.78	3.33	2.95
	7	7	-	-	14	2.70	2.70	-	-	2.95	2.95	-	-	1.7	5.4	5.9	0.55	1.58	1.80	3.42
	7	9	-	-	16	2.70	3.30	-	-	3.24	3.96	-	-	1.7	6.0	7.2	0.55	1.76	2.50	3.41
	7	12	-	-	19	2.70	3.80	-	-	2.99	4.21	-	-	1.7	6.5	7.2	0.55	2.20	2.45	2.95
	7	14	-	-	21	2.70	4.80	-	-	3.13	5.57	-	-	3.3	7.5	8.7	0.90	2.25	2.88	3.33
	7	18	-	-	25	2.70	6.00	-	-	2.92	6.48	-	-	3.3	8.7	9.4	0.90	2.67	3.00	3.26
	7	24	-	-	31	2.35	7.15	-	-	2.65	8.05	-	-	3.3	9.5	10.7	0.90	2.70	3.50	3.52
	9	9	-	-	18	3.30	3.30	-	-	3.70	3.70	-	-	3.3	6.6	7.4	0.90	2.02	2.50	3.27
	9	12	-	-	21	3.30	3.80	-	-	3.86	4.44	-	-	1.7	7.1	8.3	0.55	2.35	3.08	3.02
	9	14	-	-	23	3.30	4.80	-	-	3.79	5.51	-	-	3.3	8.1	9.3	0.90	2.67	3.30	3.03
	9	18	-	-	27	3.23	5.87	-	-	3.58	6.52	-	-	3.3	9.1	10.1	0.90	2.67	3.40	3.41
	9	24	-	-	33	2.73	6.77	-	-	3.16	7.84	-	-	3.3	9.5	11.0	0.90	2.67	3.50	3.56
	12	12	-	-	24	3.80	3.80	-	-	4.40	4.40	-	-	3.3	7.6	8.8	0.90	2.65	3.30	2.87
	12	14	-	-	26	3.80	4.80	-	-	4.33	5.47	-	-	3.3	8.6	9.8	0.90	3.06	3.50	2.81
	12	18	-	-	30	3.61	5.69	-	-	3.99	6.31	-	-	3.3	9.3	10.3	0.90	2.90	3.50	3.21
	12	24	-	-	36	3.04	6.56	-	-	3.48	7.52	-	-	3.3	9.6	11.0	0.90	2.68	3.50	3.58
	14	14	-	-	28	4.70	4.70	-	-	5.15	5.15	-	-	3.3	9.4	10.3	0.90	2.93	3.50	3.21
	14	18	-	-	32	4.27	5.33	-	-	4.93	6.17	-	-	3.3	9.6	11.1	0.90	2.77	3.50	3.47
	14	24	-	-	38	3.54	6.06	-	-	4.25	7.25	-	-	4.3	9.6	11.5	1.02	2.65	3.50	3.62
	18	18	-	-	36	4.80	4.80	-	-	5.75	5.75	-	-	4.3	9.6	11.5	1.02	2.65	3.50	3.62
	18	24	-	-	42	4.06	5.54	-	-	4.90	6.70	-	-	4.3	9.6	11.6	1.02	2.65	3.50	3.62
	7	7	7	-	21	2.70	2.70	2.70	-	2.93	2.93	2.93	-	1.8	8.1	8.8	0.55	2.30	2.65	3.52
	7	7	9	-	23	2.70	2.70	3.30	-	2.89	2.89	3.53	-	3.3	8.7	9.3	0.90	2.60	2.85	3.35
	7	7	12	-	26	2.70	2.70	3.80	-	2.85	2.85	4.01	-	3.3	9.2	9.7	0.90	2.83	3.10	3.25
	7	7	14	-	28	2.42	2.42	4.15	-	2.72	2.72	4.66	-	1.8	0.9	10.1	0.58	2.66	3.53	3.38
	7	7	18	-	32	2.27	2.27	4.86	-	2.70	2.70	5.79	-	3.3	9.4	11.2	0.87	2.46	3.52	3.82
	7	7	24	-	38	2.03	2.03	5.44	-	2.46	2.46	6.58	-	3.3	9.5	11.5	0.87	2.47	3.52	3.85
	7	9	9	-	25	2.70	3.30	3.30	-	2.82	3.44	3.44	-	3.3	9.3	9.7	0.90	2.80	3.10	3.32
	7	9	12	-	28	2.46	2.94	3.56	-	2.77	3.26	3.96	-	1.8	9.0	10.0	0.58	2.69	3.51	3.35
	7	9	14	-	30	2.33	2.75	4.00	-	2.61	3.08	4.48	-	3.3	9.1	10.2	0.87	2.64	3.50	3.45
	7	9	18	-	34	2.17	2.56	4.66	-	2.61	3.08	5.60	-	3.3	9.4	11.3	0.87	2.45	3.50	3.84
	7	9	24	-	40	1.98	2.33	5.29	-	2.37	2.79	6.34	-	3.3	9.6	11.5	0.87	2.46	3.51	3.90
	7	12	12	-	31	2.33	3.33	3.33	-	2.62	3.74	3.74	-	1.8	9.0	10.1	0.58	2.66	3.48	3.38
	7	12	14	-	33	2.22	3.17	3.80	-	2.49	3.55	4.26	-	3.3	9.2	10.3	0.87	2.62	3.48	3.51
	7	12	18	-	37	2.08	2.97	4.45	-	2.49	3.56	5.34	-	3.3	9.5	11.4	0.87	2.44	3.47	3.89
7	12	24	-	43	1.88	2.69	5.03	-	2.29	3.27	6.14	-	3.3	9.6	11.7	0.87	2.45	3.56	3.92	
7	14	14	-	35	2.10	3.60	3.60	-	2.39	4.10	4.10	-	3.3	9.3	10.6	0.87	2.59	3.48	3.59	
7	14	18	-	39	1.96	3.35	4.19	-	2.37	4.06	5.07	-	3.7	9.5	11.5	0.97	2.42	3.52	3.93	
7	14	24	-	45	1.78	3.05	4.77	-	2.17	3.72	5.81	-	3.3	9.6	11.7	0.87	2.45	3.56	3.92	
7	18	18	-	43	1.82	3.89	3.89	-	2.27	4.86	4.86	-	3.7	9.6	12.0	0.97	2.40	3.52	4.00	
7	18	24	-	49	1.65	3.53	4.42	-	2.06	4.42	5.52	-	4.3	9.6	12.0	1.12	2.40	3.52	4.00	
9	9	9	-	27	3.00	3.00	3.00	-	3.33	3.33	3.33	-	3.3	9.0	10.0	0.87	2.69	3.51	3.35	
9	9	12	-	30	2.80	2.80	3.39	-	3.14	3.14	3.81	-	3.3	9.0	10.1	0.87	2.67	3.48	3.37	
9	9	14	-	32	2.66	2.66	3.87	-	2.98	2.98	4.33	-	3.3	9.2	10.3	0.87	2.63	3.48	3.50	
9	9	18	-	36	2.49	2.49	4.52	-	2.99	2.99	5.43	-	3.7	9.5	11.4	0.97	2.44	3.48	3.89	
9	9	24	-	42	2.25	2.25	5.11	-	2.74	2.74	6.22	-	3.7	9.6	11.7	0.97	2.45	3.57	3.92	
9	12	12	-	33	2.65	3.22	3.22	-	3.01	3.65	3.65	-	3.3	9.1	10.3	0.87	2.65	3.52	3.43	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG30LBTA4

	COMBINATION OF INDOOR UNITS					HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)				HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)				TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 1	ROOM 2	ROOM 3	ROOM 4	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
min. 27 kBtu max. 49 kBtu	9	12	14	-	35	2.53	3.07	3.69	-	2.86	3.47	4.17	-	3.3	9.3	10.5	0.87	2.61	3.52	3.56
	9	12	18	-	39	2.36	2.86	4.29	-	2.83	3.43	5.14	-	3.7	9.5	11.4	0.97	2.43	3.47	3.91
	9	12	24	-	45	2.14	2.59	4.86	-	2.63	3.19	5.98	-	3.7	9.6	11.8	0.97	2.44	3.55	3.93
	9	14	14	-	37	2.38	3.46	3.46	-	2.74	3.98	3.98	-	3.7	9.3	10.7	0.97	2.58	3.46	3.60
	9	14	18	-	41	2.22	3.23	4.04	-	2.71	3.95	4.94	-	3.7	9.5	11.6	0.97	2.41	3.51	3.94
	9	14	24	-	47	2.03	2.95	4.62	-	2.52	3.66	5.72	-	4.3	9.6	11.9	1.12	2.42	3.57	3.97
	9	18	18	-	45	2.07	3.76	3.76	-	2.59	4.71	4.71	-	4.3	9.6	12.0	1.12	2.40	3.52	4.00
	12	12	12	-	36	3.07	3.07	3.07	-	3.43	3.43	3.43	-	3.3	9.2	10.3	0.87	2.63	3.49	3.50
	12	12	14	-	38	2.91	2.91	3.49	-	3.31	3.31	3.96	-	3.3	9.3	10.6	0.87	2.59	3.49	3.59
	12	12	18	-	42	2.71	2.71	4.07	-	3.31	3.31	4.97	-	3.7	9.5	11.6	0.97	2.42	3.52	3.93
	12	12	24	-	48	2.48	2.48	4.65	-	3.05	3.05	5.71	-	3.7	9.6	11.8	1.0	2.43	3.54	3.95
	12	14	14	-	40	2.76	3.32	3.32	-	3.18	3.81	3.81	-	3.7	9.4	10.8	0.97	2.40	3.50	3.92
	12	14	18	-	44	2.57	3.08	3.85	-	3.14	3.76	4.70	-	3.7	9.5	11.6	0.97	2.40	3.49	3.96
	12	18	18	-	48	2.40	3.60	3.60	-	3.00	4.50	4.50	-	4.3	9.6	12.0	1.12	2.40	3.52	4.00
	7	7	7	7	28	2.35	2.35	2.35	2.35	2.70	2.70	2.70	2.70	1.8	9.4	10.8	0.58	2.58	3.47	3.64
	7	7	7	9	30	2.27	2.27	2.27	2.68	2.61	2.61	2.61	3.07	1.8	9.5	10.9	0.58	2.57	3.51	3.70
	7	7	7	12	33	2.14	2.14	2.14	3.06	2.50	2.50	2.50	2.57	1.8	9.5	11.1	0.58	2.56	3.55	3.71
	7	7	7	14	35	2.04	2.04	2.04	3.49	2.40	2.40	2.40	4.11	3.3	9.6	11.3	0.87	2.53	3.56	3.79
	7	7	7	18	39	1.87	1.87	1.87	4.00	2.34	2.34	2.34	5.01	3.3	9.6	12.0	0.87	2.40	3.56	4.00
	7	7	9	9	32	2.18	2.18	2.57	2.57	2.50	2.50	2.95	2.95	3.3	9.5	10.9	0.87	2.56	3.44	3.71
	7	7	9	12	35	2.06	2.06	2.43	2.95	2.41	2.41	2.84	3.44	3.3	9.5	11.1	0.87	2.55	3.54	3.73
	7	7	9	14	37	1.96	1.96	2.31	3.36	2.33	2.33	2.74	3.99	3.3	9.6	11.4	0.87	2.53	3.54	3.79
	7	7	9	18	41	1.80	1.80	2.13	3.87	2.26	2.26	2.66	4.83	3.7	9.6	12.0	0.97	2.40	3.55	4.00
	7	7	12	12	38	1.98	1.98	2.82	2.82	2.33	2.33	3.32	3.32	3.3	9.6	11.3	0.87	2.54	3.57	3.78
	7	7	12	14	40	1.87	1.87	2.67	3.20	2.24	2.24	3.20	3.84	3.3	9.6	11.5	0.87	2.51	3.58	3.82
	7	7	12	18	44	1.72	1.72	2.46	3.69	2.15	2.15	3.07	4.61	3.7	9.6	12.0	0.97	2.40	3.58	4.00
	7	7	14	14	42	1.77	1.77	3.03	3.03	2.17	2.17	3.73	3.73	3.7	9.6	11.8	0.97	2.49	3.58	3.86
	7	9	9	9	34	2.09	2.47	2.47	2.47	2.47	2.91	2.91	2.91	3.3	9.5	11.2	0.87	2.55	3.54	3.73
	7	9	9	12	37	2.01	2.36	2.36	2.87	2.36	2.78	2.78	3.37	3.3	9.6	11.3	0.87	2.54	3.58	3.78
	7	9	9	14	39	1.89	2.23	2.23	3.25	2.27	2.67	2.67	3.89	3.7	9.6	11.5	0.97	2.52	3.58	3.81
	7	9	9	18	43	1.75	2.06	2.06	3.74	2.18	2.57	2.57	4.68	3.7	9.6	12.0	0.97	2.40	3.58	4.00
	7	9	12	12	40	1.91	2.25	2.72	2.72	2.26	2.67	3.23	3.23	3.3	9.6	11.4	0.87	2.53	3.58	3.79
	7	9	12	14	42	1.80	2.13	2.58	3.09	2.18	2.57	3.11	3.74	3.7	9.6	11.6	0.97	2.50	3.58	3.84
	7	9	12	18	46	1.67	1.97	2.39	3.58	2.09	2.46	2.98	4.48	3.7	9.6	12.0	0.97	2.40	3.58	4.00
	7	9	14	14	44	1.71	2.02	2.94	2.94	2.11	2.48	3.61	3.61	3.7	9.6	11.8	0.97	2.48	3.58	3.87
	7	12	12	12	43	1.81	2.59	2.59	2.59	2.17	3.10	3.10	3.10	3.3	9.6	11.5	0.87	2.52	3.58	3.81
	7	12	12	14	45	1.72	2.46	2.46	2.95	2.10	3.00	3.00	3.60	3.7	9.6	11.7	0.97	2.49	3.58	3.85
	7	12	12	18	49	1.60	2.29	2.29	3.43	2.00	2.86	2.86	4.29	3.7	9.6	12.0	0.97	2.40	3.56	4.00
	7	12	14	14	47	1.64	2.34	2.81	2.81	2.03	2.90	3.48	3.48	3.7	9.6	11.9	0.97	2.47	3.58	3.89
	9	9	9	9	36	2.40	2.40	2.40	2.40	2.83	2.83	2.83	2.83	3.7	9.6	11.3	0.97	2.55	3.58	3.76
9	9	9	12	39	2.28	2.28	2.28	2.76	2.71	2.71	2.71	3.28	3.7	9.6	11.4	0.97	2.53	3.58	3.79	
9	9	9	14	41	2.16	2.16	2.16	3.14	2.61	2.61	2.61	3.79	3.7	9.6	11.6	0.97	2.51	3.58	3.82	
9	9	9	18	45*1	1.99	1.99	1.99	3.62	2.49	2.49	2.49	4.52	4.3	9.6	12.0	1.12	2.40	3.58	4.00	
9	9	12	12	42	2.17	2.17	2.63	2.63	2.60	2.60	3.15	3.15	3.7	9.6	11.5	0.97	2.52	3.58	3.81	
9	9	12	14	44	2.06	2.06	2.49	2.99	2.51	2.51	3.04	3.65	3.7	9.6	11.7	0.97	2.50	3.58	3.84	
9	9	12	18	48*2	1.91	1.91	2.31	3.47	2.39	2.39	2.89	4.34	4.3	9.6	12.0	1.12	2.40	3.58	4.00	
9	9	14	14	46	1.96	1.96	2.84	2.84	2.42	2.42	3.53	3.53	4.3	9.6	11.9	1.12	2.48	3.58	3.87	
9	12	12	12	45	2.07	2.51	2.51	2.51	2.50	3.03	3.03	3.03	3.7	9.6	11.6	0.97	2.51	3.58	3.82	
9	12	12	14	47	1.97	2.39	2.39	2.87	2.42	2.93	2.93	3.52	3.7	9.6	11.8	0.97	2.49	3.58	3.86	
9	12	14	14	49	1.87	2.27	2.73	2.73	2.32	2.82	3.38	3.38	4.3	9.6	11.9	1.12	2.46	3.58	3.90	
12	12	12	12	48	2.40	2.40	2.40	2.40	2.90	2.90	2.90	2.90	3.7	9.6	11.6	0.97	2.50	3.58	3.84	

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.
 *2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.
 Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

COOLING – AOTG36LBA5

	COMBINATION OF INDOOR UNITS						COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER (W/W)
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
	min. 27 kBtu max. 49 kBtu	7	24	-	-	-	31	2.00	7.00	-	-	-	2.51	8.59	-	-	-	3.5	9.0	11.1	0.80	2.36	
9	24	-	-	-	33	2.50	7.00	-	-	-	3.22	8.58	-	-	-	3.5	9.5	11.8	0.80	2.58	3.75	3.68	
12	24	-	-	-	36	3.33	6.67	-	-	-	4.17	8.33	-	-	-	3.5	10.0	12.5	0.80	2.82	4.04	3.54	
14	24	-	-	-	38	3.68	6.32	-	-	-	4.61	7.89	-	-	-	3.5	10.0	12.5	0.80	2.82	4.04	3.54	
18	18	-	-	-	36	5.00	5.00	-	-	-	6.25	6.25	-	-	-	3.5	10.0	12.5	0.80	2.82	4.04	3.54	
18	24	-	-	-	42	4.29	5.71	-	-	-	5.36	7.14	-	-	-	3.5	10.0	12.5	0.80	2.82	4.04	3.54	
24	24	-	-	-	48	5.00	5.00	-	-	-	6.25	6.25	-	-	-	3.5	10.0	12.5	0.80	2.82	4.04	3.55	
7	7	14	-	-	28	2.00	2.00	4.00	-	-	2.50	2.50	5.00	-	-	3.5	8.0	10.0	0.80	2.00	3.01	4.01	
7	7	18	-	-	32	2.00	2.00	5.00	-	-	2.49	2.49	6.42	-	-	3.5	9.0	11.4	0.80	2.40	3.60	3.75	
7	7	24	-	-	38	1.84	1.84	6.32	-	-	2.30	2.30	7.90	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	9	12	-	-	28	2.00	2.50	3.50	-	-	2.50	3.21	4.29	-	-	3.5	8.0	10.0	0.80	2.00	3.01	4.01	
7	9	14	-	-	30	2.00	2.50	4.00	-	-	2.50	3.21	4.99	-	-	3.5	8.5	10.7	0.80	2.19	3.31	3.88	
7	9	18	-	-	34	2.00	2.50	5.00	-	-	2.49	3.20	6.41	-	-	3.5	9.5	12.1	0.80	2.62	3.90	3.62	
7	9	24	-	-	40	1.75	2.25	6.00	-	-	2.19	2.81	7.50	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	12	12	-	-	31	2.00	3.50	3.50	-	-	2.50	4.30	4.30	-	-	3.5	9.0	11.1	0.80	2.36	3.45	3.82	
7	12	14	-	-	33	2.00	3.50	4.00	-	-	2.50	4.29	5.01	-	-	3.5	9.5	11.8	0.80	2.57	3.75	3.69	
7	12	18	-	-	37	1.89	3.24	4.87	-	-	2.36	4.05	6.09	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	12	24	-	-	43	1.63	2.79	5.58	-	-	2.03	3.49	6.98	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	14	14	-	-	35	2.00	4.00	4.00	-	-	2.50	5.00	5.00	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	14	18	-	-	39	1.79	3.59	4.62	-	-	2.24	4.49	5.77	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	14	24	-	-	45	1.56	3.11	5.33	-	-	1.94	3.89	6.67	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	18	18	-	-	43	1.62	4.19	4.19	-	-	2.04	5.23	5.23	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
7	18	24	-	-	49	1.43	3.67	4.90	-	-	1.79	4.59	6.12	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	9	9	-	-	27	2.50	2.50	2.50	-	-	3.20	3.20	3.20	-	-	3.5	7.5	9.6	0.80	1.84	2.86	4.08	
9	9	12	-	-	30	2.50	2.50	3.50	-	-	3.21	3.21	4.28	-	-	3.5	8.5	10.7	0.80	2.19	3.31	3.88	
9	9	14	-	-	32	2.50	2.50	4.00	-	-	3.21	3.21	4.98	-	-	3.5	9.0	11.4	0.80	2.40	3.60	3.75	
9	9	18	-	-	36	2.50	2.50	5.00	-	-	3.13	3.13	6.24	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	9	24	-	-	42	2.14	2.14	5.72	-	-	2.68	2.68	7.14	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	12	12	-	-	33	2.50	3.50	3.50	-	-	3.22	4.29	4.29	-	-	3.5	9.5	11.8	0.80	2.57	3.75	3.69	
9	12	14	-	-	35	2.50	3.50	4.00	-	-	3.21	4.29	5.00	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	12	18	-	-	39	2.31	3.08	4.61	-	-	2.88	3.85	5.77	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	12	24	-	-	45	2.00	2.67	5.33	-	-	2.50	3.33	6.67	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	14	14	-	-	37	2.44	3.78	3.78	-	-	3.04	4.73	4.73	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	14	18	-	-	41	2.20	3.41	4.39	-	-	2.74	4.27	5.49	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	14	24	-	-	47	1.91	2.98	5.11	-	-	2.39	3.72	6.39	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	18	18	-	-	45	2.00	4.00	4.00	-	-	2.50	5.00	5.00	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
9	18	24	-	-	51	1.76	3.53	4.71	-	-	2.21	4.41	5.88	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	12	12	-	-	36	3.33	3.33	3.33	-	-	4.17	4.17	4.17	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	12	14	-	-	38	3.16	3.16	3.68	-	-	3.95	3.95	4.60	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	12	18	-	-	42	2.86	2.86	4.28	-	-	3.57	3.57	5.36	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	12	24	-	-	48	2.50	2.50	5.00	-	-	3.13	3.13	6.24	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	14	14	-	-	40	3.00	3.50	3.50	-	-	3.74	4.38	4.38	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	14	18	-	-	44	2.73	3.18	4.09	-	-	3.41	3.98	5.11	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	14	24	-	-	50	2.40	2.80	4.80	-	-	3.00	3.50	6.00	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	18	18	-	-	48	2.50	3.75	3.75	-	-	3.12	4.69	4.69	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
12	18	24	-	-	54	2.22	3.33	4.45	-	-	2.78	4.17	5.55	-	-	3.5	10.0	12.5	0.80	2.80	4.04	3.57	
14	14	14	-	-	42	3.33	3.33	3.33	-	-	4.17	4.17	4.17	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
14	14	18	-	-	46	3.04	3.04	3.92	-	-	3.80	3.80	4.90	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
14	14	24	-	-	52	2.69	2.69	4.62	-	-	3.37	3.37	5.76	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
14	18	18	-	-	50	2.80	3.60	3.60	-	-	3.50	4.50	4.50	-	-	3.5	10.0	12.5	0.80	2.81	4.04	3.56	
18	18	18	-	-	54	3.33	3.33	3.33	-	-	4.17	4.17	4.17	-	-	3.5	10.0	12.5	0.80	2.80	4.04	3.57	
7	7	7	7	-	28	2.00	2.00	2.00	2.00	-	2.50	2.50	2.50	2.50	-	3.5	8.0	10.0	0.80	1.95	3.01	4.11	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.



AIR CONDITIONING

OPERATING CAPACITY CHARTS

COOLING – AOTG36LBLA5

		COMBINATION OF INDOOR UNITS						COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
min. 27 kBtu max. 49 kBtu	7	7	7	9	-	30	2.00	2.00	2.00	2.50	-	2.50	2.50	2.50	3.20	-	3.5	8.5	10.7	0.80	2.11	3.31	4.03	
	7	7	7	12	-	33	2.00	2.00	2.00	3.50	-	2.50	2.50	2.50	4.30	-	3.5	9.5	11.8	0.80	2.42	3.75	3.92	
	7	7	7	14	-	35	2.00	2.00	2.00	4.00	-	2.50	2.50	2.50	5.00	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	7	18	-	39	1.79	1.79	1.79	4.63	-	2.24	2.24	2.24	5.78	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	7	24	-	45	1.56	1.56	1.56	5.32	-	1.94	1.94	1.94	6.68	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	9	9	-	32	2.00	2.00	2.50	2.50	-	2.49	2.49	3.21	3.21	-	3.5	9.0	11.4	0.80	2.28	3.60	3.95	
	7	7	9	12	-	35	2.00	2.00	2.50	3.50	-	2.50	2.50	3.21	4.29	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	9	14	-	37	1.89	1.89	2.43	3.79	-	2.36	2.36	3.04	4.74	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	9	18	-	41	1.71	1.71	2.20	4.38	-	2.13	2.13	2.74	5.50	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	9	24	-	47	1.49	1.49	1.91	5.11	-	1.86	1.86	2.39	6.39	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	12	12	-	38	1.84	1.84	3.16	3.16	-	2.30	2.30	3.95	3.95	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	12	14	-	40	1.75	1.75	3.00	3.50	-	2.19	2.19	3.75	4.37	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	12	18	-	44	1.59	1.59	2.73	4.09	-	1.99	1.99	3.41	5.11	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	12	24	-	50	1.40	1.40	2.40	4.80	-	1.75	1.75	3.00	6.00	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	14	14	-	42	1.67	1.67	3.33	3.33	-	2.08	2.08	4.17	4.17	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	7	14	18	-	46	1.52	1.52	3.04	3.92	-	1.90	1.90	3.80	4.90	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	14	24	-	52	1.35	1.35	2.69	4.61	-	1.68	1.68	3.37	5.77	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	7	18	18	-	50	1.40	1.40	3.60	3.60	-	1.75	1.75	4.50	4.50	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	9	9	-	34	2.00	2.50	2.50	2.50	-	2.50	3.20	3.20	3.20	-	3.5	9.5	12.1	0.80	2.45	3.90	3.88	
	7	9	9	12	-	37	1.89	2.43	2.43	3.25	-	2.36	3.04	3.04	4.06	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	9	9	14	-	39	1.79	2.31	2.31	3.59	-	2.24	2.88	2.88	4.50	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	9	9	18	-	43	1.63	2.09	2.09	4.19	-	2.03	2.62	2.62	5.23	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	9	9	24	-	49	1.43	1.84	1.84	4.89	-	1.79	2.30	2.30	6.11	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	12	12	-	40	1.75	2.25	3.00	3.00	-	2.19	2.81	3.75	3.75	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	9	12	14	-	42	1.67	2.14	2.86	3.33	-	2.08	2.68	3.57	4.17	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	9	12	18	-	46	1.52	1.96	2.61	3.91	-	1.90	2.45	3.26	4.89	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	12	24	-	52	1.35	1.73	2.31	4.61	-	1.68	2.16	2.88	5.78	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	14	14	-	44	1.59	2.05	3.18	3.18	-	1.98	2.56	3.98	3.98	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	14	18	-	48	1.46	1.88	2.92	3.74	-	1.82	2.34	3.65	4.69	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	14	24	-	54	1.30	1.67	2.59	4.44	-	1.62	2.08	3.24	5.56	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	9	18	18	-	52	1.35	1.73	3.46	3.46	-	1.68	2.16	4.33	4.33	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	12	12	12	-	43	1.63	2.79	2.79	2.79	-	2.03	3.49	3.49	3.49	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	7	12	12	14	-	45	1.56	2.67	2.67	3.10	-	1.94	3.33	3.33	3.90	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	12	12	18	-	49	1.43	2.45	2.45	3.67	-	1.79	3.06	3.06	4.59	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	12	14	14	-	47	1.49	2.55	2.98	2.98	-	1.87	3.19	3.72	3.72	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	12	14	18	-	51	1.37	2.35	2.75	3.53	-	1.72	2.94	3.43	4.41	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	14	14	14	-	49	1.42	2.86	2.86	2.86	-	1.79	3.57	3.57	3.57	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	7	14	14	18	-	53	1.32	2.64	2.64	3.40	-	1.65	3.30	3.30	4.25	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85	
	9	9	9	9	-	36	2.50	2.50	2.50	2.50	-	3.13	3.13	3.13	3.13	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
	9	9	9	12	-	39	2.31	2.31	2.31	3.07	-	2.88	2.88	2.88	3.86	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84	
9	9	9	14	-	41	2.20	2.20	2.20	3.40	-	2.74	2.74	2.74	4.28	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84		
9	9	9	18	-	45	2.00	2.00	2.00	4.00	-	2.50	2.50	2.50	5.00	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	9	24	-	51	1.76	1.76	1.76	4.72	-	2.21	2.21	2.21	5.87	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	12	12	-	42	2.14	2.14	2.86	2.86	-	2.68	2.68	3.57	3.57	-	3.5	10.0	12.5	0.80	2.60	4.04	3.84		
9	9	12	14	-	44	2.05	2.05	2.73	3.17	-	2.56	2.56	3.41	3.97	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	12	18	-	48	1.88	1.88	2.50	3.74	-	2.34	2.34	3.13	4.69	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	12	24	-	54	1.67	1.67	2.22	4.44	-	2.08	2.08	2.78	5.56	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	14	14	-	46	1.96	1.96	3.04	3.04	-	2.45	2.45	3.80	3.80	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	14	18	-	50	1.80	1.80	2.80	3.60	-	2.25	2.25	3.50	4.50	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	9	18	18	-	54	1.67	1.67	3.33	3.33	-	2.08	2.08	4.17	4.17	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	12	12	12	-	45	1.99	2.67	2.67	2.67	-	2.51	3.33	3.33	3.33	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		
9	12	12	14	-	47	1.91	2.55	2.55	2.99	-	2.39	3.19	3.19	3.73	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85		

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.

*2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.

Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

COOLING – AOTG36LBLA5

	COMBINATION OF INDOOR UNITS						COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER (W/W)
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
	min. 27 kBtu max. 49 kBtu	9	12	12	18	-	51	1.76	2.35	2.35	3.54	-	2.21	2.94	2.94	4.41	-	3.5	10.0	12.5	0.80	2.60	
	9	12	14	14	-	49	1.83	2.45	2.86	2.86	-	2.30	3.06	3.57	3.57	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	9	12	14	18	-	53	1.70	2.26	2.64	3.40	-	2.12	2.83	3.30	4.25	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	9	14	14	14	-	51	1.75	2.75	2.75	2.75	-	2.21	3.43	3.43	3.43	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	12	12	12	12	-	48	2.50	2.50	2.50	2.50	-	3.13	3.13	3.13	3.13	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	12	12	12	14	-	50	2.40	2.40	2.40	2.80	-	3.00	3.00	3.00	3.50	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	12	12	12	18	-	54	2.22	2.22	2.22	3.34	-	2.78	2.78	2.78	4.16	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	12	12	14	14	-	52	2.31	2.31	2.69	2.69	-	2.88	2.88	3.37	3.37	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	12	14	14	14	-	54	2.23	2.59	2.59	2.59	-	2.78	3.24	3.24	3.24	-	3.5	10.0	12.5	0.80	2.60	4.04	3.85
	7	7	7	7	7	35	2.00	2.00	2.00	2.00	2.00	2.50	2.50	2.50	2.50	2.50	3.5	10.0	12.5	0.80	2.54	4.04	3.93
	7	7	7	7	9	37	1.89	1.89	1.89	1.89	2.44	2.36	2.36	2.36	2.36	3.06	3.5	10.0	12.5	0.80	2.54	4.04	3.93
	7	7	7	7	12	40	1.75	1.75	1.75	1.75	3.00	2.19	2.19	2.19	2.19	3.74	3.5	10.0	12.5	0.80	2.54	4.04	3.94
	7	7	7	7	14	42	1.67	1.67	1.67	1.67	3.32	2.08	2.08	2.08	2.08	4.18	3.5	10.0	12.5	0.80	2.53	4.04	3.95
	7	7	7	7	18	46	1.52	1.52	1.52	1.52	3.92	1.90	1.90	1.90	1.90	4.90	3.5	10.0	12.5	0.80	2.53	4.04	3.96
	7	7	7	7	24	52	1.35	1.35	1.35	1.35	4.60	1.68	1.68	1.68	1.68	5.78	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	7	7	9	9	39	1.79	1.79	1.79	2.31	2.31	2.24	2.24	2.24	2.89	2.89	3.5	10.0	12.5	0.80	2.54	4.04	3.93
	7	7	7	9	12	42	1.67	1.67	1.67	2.14	2.85	2.08	2.08	2.08	2.68	3.58	3.5	10.0	12.5	0.80	2.53	4.04	3.95
	7	7	7	9	14	44	1.59	1.59	1.59	2.05	3.18	1.99	1.99	1.99	2.56	3.97	3.5	10.0	12.5	0.80	2.53	4.04	3.95
	7	7	7	9	18	48	1.46	1.46	1.46	1.88	3.74	1.82	1.82	1.82	2.34	4.70	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	7	7	9	24	54	1.30	1.30	1.30	1.67	4.43	1.62	1.62	1.62	2.08	5.56	3.5	10.0	12.5	0.80	2.50	4.04	4.00
	7	7	7	12	12	45	1.56	1.56	1.56	2.66	2.66	1.94	1.94	1.94	3.34	3.34	3.5	10.0	12.5	0.80	2.53	4.04	3.96
	7	7	7	12	14	47	1.49	1.49	1.49	2.55	2.98	1.86	1.86	1.86	3.19	3.73	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	7	7	12	18	51	1.37	1.37	1.37	2.35	3.54	1.72	1.72	1.72	2.94	4.40	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	7	7	7	14	14	49	1.43	1.43	1.43	2.86	2.86	1.79	1.79	1.79	3.57	3.57	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	7	7	14	18	53	1.32	1.32	1.32	2.64	3.40	1.65	1.65	1.65	3.30	4.25	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	7	9	9	9	41	1.70	1.70	2.20	2.20	2.20	2.14	2.14	2.74	2.74	2.74	3.5	10.0	12.5	0.80	2.54	4.04	3.94
	7	7	9	9	12	44	1.59	1.59	2.05	2.05	2.72	1.99	1.99	2.56	2.56	3.40	3.5	10.0	12.5	0.80	2.53	4.04	3.95
	7	7	9	9	14	46	1.52	1.52	1.96	1.96	3.04	1.90	1.90	2.45	2.45	3.80	3.5	10.0	12.5	0.80	2.53	4.04	3.96
	7	7	9	9	18	50	1.40	1.40	1.80	1.80	3.60	1.75	1.75	2.25	2.25	4.50	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	7	7	9	12	12	47	1.49	1.49	1.92	2.55	2.55	1.86	1.86	2.40	3.19	3.19	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	7	9	12	14	49	1.43	1.43	1.84	2.45	2.85	1.79	1.79	2.30	3.06	3.56	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	7	9	12	18	53	1.32	1.32	1.70	2.26	3.40	1.65	1.65	2.12	2.83	4.25	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	7	9	14	14	51	1.37	1.37	1.76	2.75	2.75	1.72	1.72	2.20	3.43	3.43	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	7	7	12	12	12	50	1.40	1.40	2.40	2.40	2.40	1.75	1.75	3.00	3.00	3.00	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	7	7	12	12	14	52	1.35	1.35	2.31	2.31	2.68	1.68	1.68	2.88	2.88	3.38	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	7	12	14	14	54	1.30	1.30	2.22	2.59	2.59	1.62	1.62	2.78	3.24	3.24	3.5	10.0	12.5	0.80	2.50	4.04	4.00
	7	9	9	9	9	43	1.64	2.09	2.09	2.09	2.09	2.02	2.62	2.62	2.62	2.62	3.5	10.0	12.5	0.80	2.53	4.04	3.95
	7	9	9	9	12	46	1.52	1.96	1.96	1.96	2.60	1.90	2.45	2.45	2.45	3.25	3.5	10.0	12.5	0.80	2.53	4.04	3.96
	7	9	9	9	14	48	1.46	1.88	1.88	1.88	2.90	1.82	2.34	2.34	2.34	3.66	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	9	9	9	18	52	1.35	1.73	1.73	1.73	3.46	1.68	2.16	2.16	2.16	4.34	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	9	9	12	12	49	1.42	1.84	1.84	2.45	2.45	1.78	2.30	2.30	3.06	3.06	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	7	9	9	12	14	51	1.37	1.76	1.76	2.35	2.76	1.72	2.21	2.21	2.94	3.42	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	7	9	9	14	14	53	1.32	1.70	1.70	2.64	2.64	1.66	2.12	2.12	3.30	3.30	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	9	12	12	12	52	1.34	1.73	2.31	2.31	2.31	1.69	2.17	2.88	2.88	2.88	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	7	9	12	12	14	54	1.30	1.67	2.22	2.22	2.59	1.62	2.08	2.78	2.78	3.24	3.5	10.0	12.5	0.80	2.50	4.04	4.00
	9	9	9	9	9	45	2.00	2.00	2.00	2.00	2.00	2.50	2.50	2.50	2.50	2.50	3.5	10.0	12.5	0.80	2.53	4.04	3.96
	9	9	9	9	12	48	1.88	1.88	1.88	1.88	2.48	2.34	2.34	2.34	2.34	3.14	3.5	10.0	12.5	0.80	2.52	4.04	3.97
	9	9	9	9	14	50	1.80	1.80	1.80	1.80	2.80	2.25	2.25	2.25	2.25	3.50	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	9	9	9	9	18	54	1.67	1.67	1.67	1.67	3.32	2.08	2.08	2.08	2.08	4.18	3.5	10.0	12.5	0.80	2.50	4.04	4.00
	9	9	9	12	12	51	1.76	1.76	1.76	2.36	2.36	2.21	2.21	2.21	2.94	2.94	3.5	10.0	12.5	0.80	2.51	4.04	3.98
	9	9	9	12	14	53	1.70	1.70	1.70	2.26	2.64	2.12	2.12	2.12	2.83	3.31	3.5	10.0	12.5	0.80	2.51	4.04	3.99
	9	9	12	12	12	54	1.67	1.67	2.22	2.22	2.22	2.08	2.08	2.78	2.78	2.78	3.5	10.0	12.5	0.80	2.50	4.04	4.00

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG36LBLA5

		COMBINATION OF INDOOR UNITS					HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER	
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED		MAX.
min. 27 kBtu max. 49 kBtu	7	24	-	-	-	31	2.40	8.40	-	-	-	2.80	9.60	-	-	-	3.5	10.8	12.4	0.70	3.02	3.50	3.58	
	9	24	-	-	-	33	3.00	8.40	-	-	-	3.60	9.60	-	-	-	3.5	11.4	13.2	0.70	3.20	3.74	3.56	
	12	24	-	-	-	36	4.00	8.00	-	-	-	4.67	9.33	-	-	-	3.5	12.0	14.0	0.70	3.40	3.98	3.53	
	14	24	-	-	-	38	4.42	7.58	-	-	-	5.16	8.84	-	-	-	3.5	12.0	14.0	0.70	3.39	3.98	3.54	
	18	18	-	-	-	36	6.00	6.00	-	-	-	7.00	7.00	-	-	-	3.5	12.0	14.0	0.70	3.40	3.98	3.53	
	18	24	-	-	-	42	5.14	6.86	-	-	-	6.00	8.00	-	-	-	3.5	12.0	14.0	0.70	3.38	3.98	3.55	
	24	24	-	-	-	48	6.00	6.00	-	-	-	7.00	7.00	-	-	-	3.5	12.0	14.0	0.70	3.37	3.98	3.56	
	7	7	14	-	-	28	2.40	2.40	4.80	-	-	2.80	2.80	5.60	-	-	-	3.5	9.6	11.2	0.70	2.50	3.14	3.84
	7	7	18	-	-	32	2.40	2.40	6.00	-	-	2.80	2.80	7.20	-	-	-	3.5	10.8	12.8	0.70	2.85	3.62	3.79
	7	7	24	-	-	38	2.21	2.21	7.58	-	-	2.58	2.58	8.84	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	7	9	12	-	-	28	2.40	3.00	4.20	-	-	2.80	3.60	4.80	-	-	-	3.5	9.6	11.2	0.70	2.50	3.14	3.84
	7	9	14	-	-	30	2.40	3.00	4.80	-	-	2.80	3.60	5.60	-	-	-	3.5	10.2	12.0	0.70	2.68	3.38	3.81
	7	9	18	-	-	34	2.40	3.00	6.00	-	-	2.80	3.60	7.20	-	-	-	3.5	11.4	13.6	0.70	3.03	3.86	3.76
	7	9	24	-	-	40	2.10	2.70	7.20	-	-	2.45	3.15	8.40	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	7	12	12	-	-	31	2.40	4.20	4.20	-	-	2.80	4.80	4.80	-	-	-	3.5	10.8	12.4	0.70	2.84	3.50	3.80
	7	12	14	-	-	33	2.40	4.20	4.80	-	-	2.80	4.80	5.60	-	-	-	3.5	11.4	13.2	0.70	3.02	3.74	3.78
	7	12	18	-	-	37	2.27	3.89	5.84	-	-	2.65	4.54	6.81	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	7	12	24	-	-	43	1.95	3.35	6.70	-	-	2.28	3.91	7.81	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77
	7	14	14	-	-	35	2.40	4.80	4.80	-	-	2.80	5.60	5.60	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	7	14	18	-	-	39	2.15	4.31	5.54	-	-	2.51	5.03	6.46	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	7	14	24	-	-	45	1.87	3.73	6.40	-	-	2.18	4.36	7.46	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	7	18	18	-	-	43	1.96	5.02	5.02	-	-	2.28	5.86	5.86	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77
	7	18	24	-	-	49	1.71	4.41	5.88	-	-	2.00	5.14	6.86	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.79
	9	9	9	-	-	27	3.00	3.00	3.00	-	-	3.60	3.60	3.60	-	-	-	3.5	9.0	10.8	0.70	2.34	3.02	3.85
	9	9	12	-	-	30	3.00	3.00	4.20	-	-	3.60	3.60	4.80	-	-	-	3.5	10.2	12.0	0.70	2.68	3.38	3.81
	9	9	14	-	-	32	3.00	3.00	4.80	-	-	3.60	3.60	5.60	-	-	-	3.5	10.8	12.8	0.70	2.85	3.62	3.79
	9	9	18	-	-	36	3.00	3.00	6.00	-	-	3.50	3.50	7.00	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	9	9	24	-	-	42	2.57	2.57	6.86	-	-	3.00	3.00	8.00	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77
	9	12	12	-	-	33	3.00	4.20	4.20	-	-	3.60	4.80	4.80	-	-	-	3.5	11.4	13.2	0.70	3.02	3.74	3.78
	9	12	14	-	-	35	3.00	4.20	4.80	-	-	3.60	4.80	5.60	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	9	12	18	-	-	39	2.77	3.69	5.54	-	-	3.23	4.31	6.46	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	9	12	24	-	-	45	2.40	3.20	6.40	-	-	2.80	3.73	7.47	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	9	14	14	-	-	37	2.92	4.54	4.54	-	-	3.40	5.30	5.30	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	9	14	18	-	-	41	2.63	4.10	5.27	-	-	3.07	4.78	6.15	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	9	14	24	-	-	47	2.30	3.57	6.13	-	-	2.68	4.17	7.15	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	9	18	18	-	-	45	2.40	4.80	4.80	-	-	2.80	5.60	5.60	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	9	18	24	-	-	51	2.12	4.24	5.64	-	-	2.47	4.94	6.59	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.79
	12	12	12	-	-	36	4.00	4.00	4.00	-	-	4.67	4.67	4.67	-	-	-	3.5	12.0	14.0	0.70	3.20	3.98	3.75
	12	12	14	-	-	38	3.79	3.79	4.42	-	-	4.42	4.42	5.16	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	12	12	18	-	-	42	3.43	3.43	5.14	-	-	4.00	4.00	6.00	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77
	12	12	24	-	-	48	3.00	3.00	6.00	-	-	3.50	3.50	7.00	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	12	14	14	-	-	40	3.60	4.20	4.20	-	-	4.20	4.90	4.90	-	-	-	3.5	12.0	14.0	0.70	3.19	3.98	3.76
	12	14	18	-	-	44	3.27	3.82	4.91	-	-	3.82	4.45	5.73	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77
	12	14	24	-	-	50	2.88	3.36	5.76	-	-	3.36	3.92	6.72	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.79
	12	18	18	-	-	48	3.00	4.50	4.50	-	-	3.50	5.25	5.25	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78
	12	18	24	-	-	54	2.67	4.00	5.33	-	-	3.11	4.67	6.22	-	-	-	3.5	12.0	14.0	0.70	3.16	3.98	3.80
14	14	14	-	-	42	4.00	4.00	4.00	-	-	4.67	4.67	4.67	-	-	-	3.5	12.0	14.0	0.70	3.18	3.98	3.77	
14	14	18	-	-	46	3.65	3.65	4.70	-	-	4.26	4.26	5.48	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.78	
14	14	24	-	-	52	3.23	3.23	5.54	-	-	3.77	3.77	6.46	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.79	
14	18	18	-	-	50	3.36	4.32	4.32	-	-	3.92	5.04	5.04	-	-	-	3.5	12.0	14.0	0.70	3.17	3.98	3.79	
18	18	18	-	-	54	4.00	4.00	4.00	-	-	4.67	4.67	4.67	-	-	-	3.5	12.0	14.0	0.70	3.16	3.98	3.80	
7	7	7	7	-	28	2.40	2.40	2.40	2.40	-	2.80	2.80	2.80	2.80	-	-	3.5	9.6	11.2	0.70	2.37	3.14	4.05	

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.

*2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.

Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

HEATING – AOTG36LBLA5

	COMBINATION OF INDOOR UNITS						HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER (W/W)
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
	min. 27 kBtu max. 49 kBtu	7	7	7	9	-	30	2.40	2.40	2.40	3.00	-	2.80	2.80	2.80	3.60	-	3.5	10.2	12.0	0.70	2.53	
7	7	7	12	-	33	2.40	2.40	2.40	4.20	-	2.80	2.80	2.80	4.80	-	3.5	11.4	13.2	0.70	2.84	3.74	4.01	
7	7	7	14	-	35	2.40	2.40	2.40	4.80	-	2.80	2.80	2.80	5.60	-	3.5	12.0	14.0	0.70	3.00	3.98	4.00	
7	7	7	18	-	39	2.15	2.15	2.15	5.55	-	2.51	2.51	2.51	6.47	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	7	7	24	-	45	1.87	1.87	1.87	6.39	-	2.18	2.18	2.18	7.46	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	7	9	9	-	32	2.40	2.40	3.00	3.00	-	2.80	2.80	3.60	3.60	-	3.5	10.8	12.8	0.70	2.69	3.62	4.02	
7	7	9	12	-	35	2.40	2.40	3.00	4.20	-	2.80	2.80	3.60	4.80	-	3.5	12.0	14.0	0.70	3.00	3.98	4.00	
7	7	9	14	-	37	2.27	2.27	2.92	4.54	-	2.65	2.65	3.41	5.29	-	3.5	12.0	14.0	0.70	3.00	3.98	4.00	
7	7	9	18	-	41	2.05	2.05	2.63	5.27	-	2.39	2.39	3.07	6.15	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	7	9	24	-	47	1.79	1.79	2.30	6.12	-	2.09	2.09	2.68	7.14	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	7	12	12	-	38	2.21	2.21	3.79	3.79	-	2.58	2.58	4.42	4.42	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	7	12	14	-	40	2.10	2.10	3.60	4.20	-	2.45	2.45	4.20	4.90	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	7	12	18	-	44	1.91	1.91	3.27	4.91	-	2.23	2.23	3.82	5.72	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	7	12	24	-	50	1.68	1.68	2.88	5.76	-	1.96	1.96	3.36	6.72	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	7	14	14	-	42	2.00	2.00	4.00	4.00	-	2.33	2.33	4.67	4.67	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	7	14	18	-	46	1.83	1.83	3.65	4.69	-	2.13	2.13	4.26	5.48	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	7	14	24	-	52	1.62	1.62	3.23	5.53	-	1.88	1.88	3.77	6.47	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	7	18	18	-	50	1.68	1.68	4.32	4.32	-	1.96	1.96	5.04	5.04	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	9	9	9	-	34	2.40	3.00	3.00	3.00	-	2.80	3.60	3.60	3.60	-	3.5	11.4	13.6	0.70	2.84	3.86	4.01	
7	9	9	12	-	37	2.27	2.92	2.92	3.89	-	2.65	3.41	3.41	4.53	-	3.5	12.0	14.0	0.70	3.00	3.98	4.00	
7	9	9	14	-	39	2.15	2.77	2.77	4.31	-	2.51	3.23	3.23	5.03	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	9	9	18	-	43	1.95	2.51	2.51	5.03	-	2.28	2.93	2.93	5.86	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	9	9	24	-	49	1.71	2.20	2.20	5.89	-	2.00	2.57	2.57	6.86	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	9	12	12	-	40	2.10	2.70	3.60	3.60	-	2.45	3.15	4.20	4.20	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
7	9	12	14	-	42	2.00	2.57	3.43	4.00	-	2.33	3.00	4.00	4.67	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	9	12	18	-	46	1.83	2.35	3.13	4.69	-	2.13	2.74	3.65	5.48	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	9	12	24	-	52	1.62	2.08	2.77	5.53	-	1.88	2.42	3.23	6.47	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	9	14	14	-	44	1.91	2.45	3.82	3.82	-	2.24	2.86	4.45	4.45	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	9	14	18	-	48	1.75	2.25	3.50	4.50	-	2.04	2.63	4.08	5.25	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	9	14	24	-	54	1.56	2.00	3.11	5.33	-	1.81	2.33	3.63	6.23	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
7	9	18	18	-	52	1.62	2.08	4.15	4.15	-	1.88	2.42	4.85	4.85	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	12	12	12	-	43	1.95	3.35	3.35	3.35	-	2.27	3.91	3.91	3.91	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
7	12	12	14	-	45	1.87	3.20	3.20	3.73	-	2.18	3.73	3.73	4.36	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	12	12	18	-	49	1.71	2.94	2.94	4.41	-	2.00	3.43	3.43	5.14	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	12	14	14	-	47	1.80	3.06	3.57	3.57	-	2.09	3.57	4.17	4.17	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
7	12	14	18	-	51	1.65	2.82	3.29	4.24	-	1.92	3.29	3.84	4.95	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	14	14	14	-	49	1.71	3.43	3.43	3.43	-	2.00	4.00	4.00	4.00	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
7	14	14	18	-	53	1.58	3.17	3.17	4.08	-	1.85	3.70	3.70	4.75	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
9	9	9	9	-	36	3.00	3.00	3.00	3.00	-	3.50	3.50	3.50	3.50	-	3.5	12.0	14.0	0.70	3.00	3.98	4.00	
9	9	9	12	-	39	2.77	2.77	2.77	3.69	-	3.23	3.23	3.23	4.31	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
9	9	9	14	-	41	2.63	2.63	2.63	4.11	-	3.07	3.07	3.07	4.79	-	3.5	12.0	14.0	0.70	2.99	3.98	4.01	
9	9	9	18	-	45	2.40	2.40	2.40	4.80	-	2.80	2.80	2.80	5.60	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
9	9	9	24	-	51	2.12	2.12	2.12	5.64	-	2.47	2.47	2.47	6.59	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
9	9	12	12	-	42	2.57	2.57	3.43	3.43	-	3.00	3.00	4.00	4.00	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
9	9	12	14	-	44	2.45	2.45	3.27	3.83	-	2.86	2.86	3.82	4.46	-	3.5	12.0	14.0	0.70	2.99	3.98	4.02	
9	9	12	18	-	48	2.25	2.25	3.00	4.50	-	2.63	2.63	3.50	5.24	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
9	9	12	24	-	54	2.00	2.00	2.67	5.33	-	2.33	2.33	3.11	6.23	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
9	9	14	14	-	46	2.35	2.35	3.65	3.65	-	2.74	2.74	4.26	4.26	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
9	9	14	18	-	50	2.16	2.16	3.36	4.32	-	2.52	2.52	3.92	5.04	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
9	9	18	18	-	54	2.00	2.00	4.00	4.00	-	2.33	2.33	4.67	4.67	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
9	12	12	12	-	45	2.40	3.20	3.20	3.20	-	2.81	3.73	3.73	3.73	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
9	12	12	14	-	47	2.30	3.06	3.06	3.58	-	2.68	3.57	3.57	4.18	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG36LBLA5

	COMBINATION OF INDOOR UNITS						HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)					HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)					TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER	
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED	MAX.		
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	MIN.	RATED	MAX.	MIN.	RATED		MAX.
min. 27 kBtu max. 49 kBtu	9	12	12	18	-	51	2.12	2.82	2.82	4.24	-	2.47	3.29	3.29	4.95	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
	9	12	14	14	-	49	2.20	2.94	3.43	3.43	-	2.57	3.43	4.00	4.00	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
	9	12	14	18	-	53	2.04	2.72	3.17	4.07	-	2.38	3.17	3.70	4.75	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
	9	14	14	14	-	51	2.13	3.29	3.29	3.29	-	2.48	3.84	3.84	3.84	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
	12	12	12	12	-	48	3.00	3.00	3.00	3.00	-	3.50	3.50	3.50	3.50	-	3.5	12.0	14.0	0.70	2.98	3.98	4.03	
	12	12	12	14	-	50	2.88	2.88	2.88	3.36	-	3.36	3.36	3.36	3.92	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
	12	12	12	18	-	54	2.67	2.67	2.67	3.99	-	3.11	3.11	3.11	4.67	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
	12	12	14	14	-	52	2.77	2.77	3.23	3.23	-	3.23	3.23	3.77	3.77	-	3.5	12.0	14.0	0.70	2.97	3.98	4.04	
	12	14	14	14	-	54	2.67	3.11	3.11	3.11	-	3.11	3.63	3.63	3.63	-	3.5	12.0	14.0	0.70	2.96	3.98	4.05	
	7	7	7	7	7	35	2.40	2.40	2.40	2.40	2.40	2.40	2.80	2.80	2.80	2.80	2.80	3.5	12.0	14.0	0.70	2.86	3.98	4.20
	7	7	7	7	9	37	2.27	2.27	2.27	2.27	2.92	2.65	2.65	2.65	2.65	3.40	3.40	3.5	12.0	14.0	0.70	2.85	3.98	4.20
	7	7	7	7	12	40	2.10	2.10	2.10	2.10	3.60	2.45	2.45	2.45	2.45	4.20	4.20	3.5	12.0	14.0	0.70	2.85	3.98	4.21
	7	7	7	7	14	42	2.00	2.00	2.00	2.00	4.00	2.33	2.33	2.33	2.33	4.68	4.68	3.5	12.0	14.0	0.70	2.84	3.98	4.22
	7	7	7	7	18	46	1.83	1.83	1.83	1.83	4.68	2.13	2.13	2.13	2.13	5.48	5.48	3.5	12.0	14.0	0.70	2.84	3.98	4.23
	7	7	7	7	24	52	1.62	1.62	1.62	1.62	5.52	1.88	1.88	1.88	1.88	6.48	6.48	3.5	12.0	14.0	0.70	2.83	3.98	4.24
	7	7	7	9	9	39	2.15	2.15	2.15	2.77	2.77	2.51	2.51	2.51	3.23	3.23	3.5	12.0	14.0	0.70	2.85	3.98	4.21	
	7	7	7	9	12	42	2.00	2.00	2.00	2.57	3.43	2.33	2.33	2.33	3.00	4.01	4.01	3.5	12.0	14.0	0.70	2.84	3.98	4.22
	7	7	7	9	14	44	1.91	1.91	1.91	2.45	3.82	2.23	2.23	2.23	2.86	4.45	4.45	3.5	12.0	14.0	0.70	2.84	3.98	4.22
	7	7	7	9	18	48	1.75	1.75	1.75	2.25	4.50	2.04	2.04	2.04	2.63	5.25	5.25	3.5	12.0	14.0	0.70	2.84	3.98	4.23
	7	7	7	9	24	54	1.56	1.56	1.56	2.00	5.32	1.81	1.81	1.81	2.33	6.24	6.24	3.5	12.0	14.0	0.70	2.82	3.98	4.25
	7	7	7	12	12	45	1.87	1.87	1.87	3.20	3.20	2.18	2.18	2.18	3.73	3.73	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
	7	7	7	12	14	47	1.79	1.79	1.79	3.06	3.57	2.09	2.09	2.09	3.57	4.16	4.16	3.5	12.0	14.0	0.70	2.84	3.98	4.23
	7	7	7	12	18	51	1.65	1.65	1.65	2.82	4.23	1.92	1.92	1.92	3.29	4.95	4.95	3.5	12.0	14.0	0.70	2.83	3.98	4.24
	7	7	7	14	14	49	1.71	1.71	1.71	3.43	3.43	2.00	2.00	2.00	4.00	4.00	4.00	3.5	12.0	14.0	0.70	2.83	3.98	4.24
	7	7	7	14	18	53	1.58	1.58	1.58	3.17	4.09	1.85	1.85	1.85	3.70	4.75	4.75	3.5	12.0	14.0	0.70	2.82	3.98	4.25
	7	7	9	9	9	41	2.05	2.05	2.63	2.63	2.63	2.39	2.39	3.07	3.07	3.07	3.5	12.0	14.0	0.70	2.85	3.98	4.21	
	7	7	9	9	12	44	1.91	1.91	2.45	2.45	3.28	2.23	2.23	2.86	2.86	3.82	3.82	3.5	12.0	14.0	0.70	2.84	3.98	4.22
	7	7	9	9	14	46	1.83	1.83	2.35	2.35	3.64	2.13	2.13	2.74	2.74	4.26	4.26	3.5	12.0	14.0	0.70	2.84	3.98	4.23
	7	7	9	9	18	50	1.68	1.68	2.16	2.16	4.32	1.96	1.96	2.52	2.52	5.04	5.04	3.5	12.0	14.0	0.70	2.83	3.98	4.24
	7	7	9	12	12	47	1.79	1.79	2.30	3.06	3.06	2.09	2.09	2.68	3.57	3.57	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
7	7	9	12	14	49	1.71	1.71	2.20	2.94	3.44	2.00	2.00	2.57	3.43	4.00	4.00	3.5	12.0	14.0	0.70	2.83	3.98	4.24	
7	7	9	12	18	53	1.58	1.58	2.04	2.72	4.08	1.85	1.85	2.38	3.17	4.75	4.75	3.5	12.0	14.0	0.70	2.82	3.98	4.25	
7	7	9	14	14	51	1.65	1.65	2.12	3.29	3.29	1.92	1.92	2.48	3.84	3.84	3.5	12.0	14.0	0.70	2.83	3.98	4.24		
7	7	12	12	12	50	1.68	1.68	2.88	2.88	2.88	1.96	1.96	3.36	3.36	3.36	3.5	12.0	14.0	0.70	2.83	3.98	4.24		
7	7	12	12	14	52	1.62	1.62	2.77	2.77	3.22	1.88	1.88	3.23	3.23	3.78	3.78	3.5	12.0	14.0	0.70	2.83	3.98	4.24	
7	7	12	14	14	54	1.56	1.56	2.66	3.11	3.11	1.81	1.81	3.12	3.63	3.63	3.5	12.0	14.0	0.70	2.82	3.98	4.25		
7	9	9	9	9	43	1.96	2.51	2.51	2.51	2.51	2.28	2.93	2.93	2.93	2.93	3.5	12.0	14.0	0.70	2.84	3.98	4.22		
7	9	9	9	12	46	1.83	2.35	2.35	2.35	3.12	2.13	2.74	2.74	2.74	3.65	3.65	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
7	9	9	9	14	48	1.75	2.25	2.25	2.25	3.50	2.04	2.63	2.63	2.63	4.07	4.07	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
7	9	9	9	18	52	1.62	2.08	2.08	2.08	4.14	1.88	2.42	2.42	2.42	4.86	4.86	3.5	12.0	14.0	0.70	2.83	3.98	4.24	
7	9	9	12	12	49	1.72	2.20	2.20	2.94	2.94	2.00	2.57	2.57	3.43	3.43	3.5	12.0	14.0	0.70	2.83	3.98	4.24		
7	9	9	12	14	51	1.65	2.12	2.12	2.82	3.29	1.92	2.47	2.47	3.29	3.85	3.85	3.5	12.0	14.0	0.70	2.83	3.98	4.24	
7	9	9	14	14	53	1.58	2.04	2.04	3.17	3.17	1.84	2.38	2.38	3.70	3.70	3.5	12.0	14.0	0.70	2.82	3.98	4.25		
7	9	12	12	12	52	1.61	2.08	2.77	2.77	2.77	1.89	2.42	3.23	3.23	3.23	3.5	12.0	14.0	0.70	2.83	3.98	4.24		
7	9	12	12	14	54	1.56	2.00	2.67	2.67	3.10	1.81	2.33	3.11	3.11	3.64	3.64	3.5	12.0	14.0	0.70	2.82	3.98	4.25	
9	9	9	9	9	45	2.40	2.40	2.40	2.40	2.40	2.80	2.80	2.80	2.80	2.80	2.80	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
9	9	9	9	12	48	2.25	2.25	2.25	2.25	3.00	2.63	2.63	2.63	2.63	3.48	3.48	3.5	12.0	14.0	0.70	2.84	3.98	4.23	
9	9	9	9	14	50	2.16	2.16	2.16	2.16	3.36	2.52	2.52	2.52	2.52	3.92	3.92	3.5	12.0	14.0	0.70	2.83	3.98	4.24	
9	9	9	9	18	54	2.00	2.00	2.00	2.00	4.00	2.33	2.33	2.33	2.33	4.68	4.68	3.5	12.0	14.0	0.70	2.82	3.98	4.25	
9	9	9	12	12	51	2.12	2.12	2.12	2.82	2.82	2.47	2.47	2.47	3.29	3.29	3.5	12.0	14.0	0.70	2.83	3.98	4.24		
9	9	9	12	14	53	2.04	2.04	2.04	2.72	3.16	2.38	2.38	2.38	3.17	3.69	3.69	3.5	12.0	14.0	0.70	2.82	3.98	4.25	
9	9	12	12	12	54	2.00	2.00	2.67	2.67	2.67	2.33	2.33	3.11	3.11	3.11	3.5	12.0	14.0	0.70	2.82	3.98	4.25		

OPERATING CAPACITY CHARTS

COOLING – AOTG45LBLA6

		COMBINATION OF INDOOR UNITS							COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
min. 27 kBtu max. 49 kBtu	12	24	-	-	-	-	36	3.50	7.00	-	-	-	-	3.83	7.67	-	-	-	-	3.5	10.5	11.5	0.80	3.08	3.49	3.41	
	14	24	-	-	-	-	38	4.00	7.00	-	-	-	-	4.46	7.64	-	-	-	-	3.5	11.0	12.1	0.80	3.33	3.88	3.30	
	18	18	-	-	-	-	36	5.00	5.00	-	-	-	-	5.75	5.75	-	-	-	-	3.5	10.0	11.5	0.80	2.93	3.49	3.41	
	18	24	-	-	-	-	42	5.00	7.00	-	-	-	-	5.74	7.66	-	-	-	-	3.5	12.0	13.4	0.80	3.88	4.64	3.09	
	24	24	-	-	-	-	48	6.25	6.25	-	-	-	-	7.00	7.00	-	-	-	-	3.5	12.5	14.0	0.80	4.18	5.02	2.99	
	7	7	24	-	-	-	38	2.00	2.00	7.00	-	-	-	2.23	2.23	7.64	-	-	-	-	3.5	11.0	12.1	0.80	3.23	3.88	3.40
	7	9	18	-	-	-	34	2.00	2.50	5.00	-	-	-	2.22	2.86	5.72	-	-	-	-	3.5	9.5	10.8	0.80	2.62	3.11	3.63
	7	9	24	-	-	-	40	2.00	2.50	7.00	-	-	-	2.22	2.86	7.62	-	-	-	-	3.5	11.5	12.7	0.80	3.49	4.26	3.30
	7	12	18	-	-	-	37	2.00	3.50	5.00	-	-	-	2.23	3.83	5.74	-	-	-	-	3.5	10.5	11.8	0.80	3.04	3.68	3.46
	7	12	24	-	-	-	43	2.00	3.50	6.90	-	-	-	2.23	3.82	7.65	-	-	-	-	3.5	12.4	13.7	0.80	3.95	4.83	3.14
	7	14	14	-	-	-	35	2.00	4.00	4.00	-	-	-	2.22	4.44	4.44	-	-	-	-	3.5	10.0	11.1	0.80	2.81	3.30	3.56
	7	14	18	-	-	-	39	2.00	4.00	5.00	-	-	-	2.23	4.45	5.72	-	-	-	-	3.5	11.0	12.4	0.80	3.28	4.07	3.35
	7	14	24	-	-	-	45	1.94	3.89	6.67	-	-	-	2.18	4.36	7.46	-	-	-	-	3.5	12.5	14.0	0.80	4.05	5.02	3.09
	7	18	18	-	-	-	43	2.00	5.00	5.00	-	-	-	2.24	5.73	5.73	-	-	-	-	3.5	12.0	13.7	0.80	3.82	4.83	3.14
	7	18	24	-	-	-	49	1.79	4.59	6.12	-	-	-	2.00	5.14	6.86	-	-	-	-	3.5	12.5	14.0	0.80	4.03	5.02	3.10
	7	24	24	-	-	-	55	1.60	5.45	5.45	-	-	-	1.78	6.11	6.11	-	-	-	-	3.5	12.5	14.0	0.80	3.99	5.02	3.13
	9	9	18	-	-	-	36	2.50	2.50	5.00	-	-	-	2.88	2.88	5.74	-	-	-	-	3.5	10.0	11.5	0.80	2.85	3.49	3.51
	9	9	24	-	-	-	42	2.50	2.50	7.00	-	-	-	2.87	2.87	7.66	-	-	-	-	3.5	12.0	13.4	0.80	3.76	4.64	3.19
	9	12	14	-	-	-	35	2.50	3.50	4.00	-	-	-	2.85	3.81	4.44	-	-	-	-	3.5	10.0	11.1	0.80	2.81	3.30	3.56
	9	12	18	-	-	-	39	2.50	3.50	5.00	-	-	-	2.86	3.82	5.72	-	-	-	-	3.5	11.0	12.4	0.80	3.28	4.07	3.35
	9	12	24	-	-	-	45	2.50	3.33	6.67	-	-	-	2.80	3.73	7.47	-	-	-	-	3.5	12.5	14.0	0.80	4.05	5.02	3.09
	9	14	14	-	-	-	37	2.50	4.00	4.00	-	-	-	2.88	4.46	4.46	-	-	-	-	3.5	10.5	11.8	0.80	3.04	3.68	3.46
	9	14	18	-	-	-	41	2.50	4.00	5.00	-	-	-	2.85	4.44	5.71	-	-	-	-	3.5	11.5	13.0	0.80	3.54	4.45	3.25
	9	14	24	-	-	-	47	2.40	3.72	6.38	-	-	-	2.68	4.17	7.15	-	-	-	-	3.5	12.5	14.0	0.80	4.04	5.02	3.09
	9	18	18	-	-	-	45	2.50	5.00	5.00	-	-	-	2.80	5.60	5.60	-	-	-	-	3.5	12.5	14.0	0.80	4.05	5.02	3.09
	9	18	24	-	-	-	51	2.21	4.41	5.88	-	-	-	2.47	4.94	6.59	-	-	-	-	3.5	12.5	14.0	0.80	4.02	5.02	3.11
	9	24	24	-	-	-	57	1.98	5.26	5.26	-	-	-	2.22	5.89	5.89	-	-	-	-	3.5	12.5	14.0	0.80	3.98	5.02	3.14
	12	12	12	-	-	-	36	3.50	3.50	3.50	-	-	-	3.83	3.83	3.83	-	-	-	-	3.5	10.5	11.5	0.80	2.99	3.49	3.51
	12	12	14	-	-	-	38	3.50	3.50	4.00	-	-	-	3.82	3.82	4.46	-	-	-	-	3.5	11.0	12.1	0.80	3.23	3.88	3.40
	12	12	18	-	-	-	42	3.50	3.50	5.00	-	-	-	3.83	3.83	5.74	-	-	-	-	3.5	12.0	13.4	0.80	3.76	4.64	3.19
	12	12	24	-	-	-	48	3.13	3.13	6.24	-	-	-	3.50	3.50	7.00	-	-	-	-	3.5	12.5	14.0	0.80	4.03	5.02	3.10
	12	14	14	-	-	-	40	3.50	4.00	4.00	-	-	-	3.80	4.45	4.45	-	-	-	-	3.5	11.5	12.7	0.80	3.49	4.26	3.30
	12	14	18	-	-	-	44	3.50	4.00	5.00	-	-	-	3.82	4.45	5.73	-	-	-	-	3.5	12.5	14.0	0.80	4.05	5.02	3.09
	12	14	24	-	-	-	50	3.00	3.50	6.00	-	-	-	3.36	3.92	6.72	-	-	-	-	3.5	12.5	14.0	0.80	4.02	5.02	3.11
	12	18	18	-	-	-	48	3.12	4.69	4.69	-	-	-	3.50	5.25	5.25	-	-	-	-	3.5	12.5	14.0	0.80	4.03	5.02	3.10
	12	18	24	-	-	-	54	2.78	4.17	5.55	-	-	-	3.11	4.67	6.22	-	-	-	-	3.5	12.5	14.0	0.80	4.01	5.02	3.12
	12	24	24	-	-	-	60	2.50	5.00	5.00	-	-	-	2.80	5.60	5.60	-	-	-	-	3.5	12.5	14.0	0.80	3.97	5.02	3.15
	14	14	14	-	-	-	42	4.00	4.00	4.00	-	-	-	4.47	4.47	4.47	-	-	-	-	3.5	12.0	13.4	0.80	3.76	4.64	3.19
	14	14	18	-	-	-	46	3.80	3.80	4.90	-	-	-	4.26	4.26	5.48	-	-	-	-	3.5	12.5	14.0	0.80	4.04	5.02	3.09
	14	14	24	-	-	-	52	3.37	3.37	5.76	-	-	-	3.77	3.77	6.46	-	-	-	-	3.5	12.5	14.0	0.80	4.01	5.02	3.12
14	18	18	-	-	-	50	3.50	4.50	4.50	-	-	-	3.92	5.04	5.04	-	-	-	-	3.5	12.5	14.0	0.80	4.02	5.02	3.11	
14	18	24	-	-	-	56	3.13	4.02	5.35	-	-	-	3.50	4.50	6.00	-	-	-	-	3.5	12.5	14.0	0.80	3.99	5.02	3.13	
14	24	24	-	-	-	62	2.82	4.84	4.84	-	-	-	3.16	5.42	5.42	-	-	-	-	3.5	12.5	14.0	0.80	3.96	5.02	3.16	
18	18	18	-	-	-	54	4.17	4.17	4.17	-	-	-	4.67	4.67	4.67	-	-	-	-	3.5	12.5	14.0	0.80	4.01	5.02	3.12	
18	18	24	-	-	-	60	3.75	3.75	5.00	-	-	-	4.20	4.20	5.60	-	-	-	-	3.5	12.5	14.0	0.80	3.97	5.02	3.15	
7	7	7	14	-	-	35	2.00	2.00	2.00	4.00	-	-	2.22	2.22	2.22	4.44	-	-	-	3.5	10.0	11.1	0.80	2.60	3.30	3.85	
7	7	7	18	-	-	39	2.00	2.00	2.00	5.00	-	-	2.23	2.23	2.23	5.71	-	-	-	3.5	11.0	12.4	0.80	3.19	4.07	3.45	
7	7	7	24	-	-	45	1.94	1.94	1.94	6.68	-	-	2.18	2.18	2.18	7.46	-	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18	
7	7	9	12	-	-	35	2.00	2.00	2.50	3.50	-	-	2.22	2.22	2.85	3.81	-	-	-	3.5	10.0	11.1	0.80	2.60	3.30	3.85	
7	7	9	14	-	-	37	2.00	2.00	2.50	4.00	-	-	2.23	2.23	2.87	4.47	-	-	-	3.5	10.5	11.8	0.80	2.91	3.68	3.61	
7	7	9	18	-	-	41	2.00	2.00	2.50	5.00	-	-	2.22	2.22	2.85	5.71	-	-	-	3.5	11.5	13.0	0.80	3.47	4.45	3.31	
7	7	9	24	-	-	47	1.86	1.86	2.39	6.39	-	-	2.09	2.09	2.68	7.14	-	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

COOLING – AOTG45LBLA6

		COMBINATION OF INDOOR UNITS						COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER	
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
min. 27 kBtu max. 49 kBtu		7	7	12	12	-	-	38	2.00	2.00	3.50	3.50	-	-	2.23	2.23	3.82	3.82	-	-	3.5	11.0	12.1	0.80	3.13	3.88	3.51
		7	7	12	14	-	-	40	2.00	2.00	3.50	4.00	-	-	2.22	2.22	3.81	4.45	-	-	3.5	11.5	12.7	0.80	3.41	4.26	3.37
		7	7	12	18	-	-	44	2.00	2.00	3.50	5.00	-	-	2.23	2.23	3.82	5.72	-	-	3.5	12.5	14.0	0.80	3.94	5.02	3.17
		7	7	12	24	-	-	50	1.75	1.75	3.00	6.00	-	-	1.96	1.96	3.36	6.72	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
		7	7	14	14	-	-	42	2.00	2.00	4.00	4.00	-	-	2.23	2.23	4.47	4.47	-	-	3.5	12.0	13.4	0.80	3.66	4.64	3.28
		7	7	14	18	-	-	46	1.90	1.90	3.80	4.90	-	-	2.13	2.13	4.26	5.48	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18
		7	7	14	24	-	-	52	1.68	1.68	3.37	5.77	-	-	1.88	1.88	3.77	6.47	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
		7	7	18	18	-	-	50	1.75	1.75	4.50	4.50	-	-	1.96	1.96	5.04	5.04	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
		7	7	18	24	-	-	56	1.56	1.56	4.02	5.36	-	-	1.75	1.75	4.50	6.00	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24
		7	7	24	24	-	-	62	1.41	1.41	4.84	4.84	-	-	1.58	1.58	5.42	5.42	-	-	3.5	12.5	14.0	0.80	3.82	5.02	3.27
		7	9	9	9	-	-	34	2.00	2.50	2.50	2.50	-	-	2.22	2.86	2.86	2.86	-	-	3.5	9.5	10.8	0.80	2.45	3.11	3.88
		7	9	9	12	-	-	37	2.00	2.50	2.50	3.50	-	-	2.23	2.87	2.87	3.83	-	-	3.5	10.5	11.8	0.80	2.91	3.68	3.61
		7	9	9	14	-	-	39	2.00	2.50	2.50	4.00	-	-	2.23	2.86	2.86	4.45	-	-	3.5	11.0	12.4	0.80	3.19	4.07	3.45
		7	9	9	18	-	-	43	2.00	2.50	2.50	5.00	-	-	2.23	2.87	2.87	5.73	-	-	3.5	12.0	13.7	0.80	3.72	4.83	3.23
		7	9	9	24	-	-	49	1.79	2.30	2.30	6.11	-	-	2.00	2.57	2.57	6.86	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
		7	9	12	12	-	-	40	2.00	2.50	3.50	3.50	-	-	2.22	2.86	3.81	3.81	-	-	3.5	11.5	12.7	0.80	3.41	4.26	3.37
		7	9	12	14	-	-	42	2.00	2.50	3.50	4.00	-	-	2.23	2.87	3.83	4.47	-	-	3.5	12.0	13.4	0.80	3.66	4.64	3.28
		7	9	12	18	-	-	46	1.90	2.45	3.26	4.89	-	-	2.13	2.74	3.65	5.48	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18
		7	9	12	24	-	-	52	1.68	2.16	2.88	5.78	-	-	1.88	2.42	3.23	6.47	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
		7	9	14	14	-	-	44	2.00	2.50	4.00	4.00	-	-	2.23	2.87	4.45	4.45	-	-	3.5	12.5	14.0	0.80	3.94	5.02	3.17
		7	9	14	18	-	-	48	1.82	2.34	3.65	4.69	-	-	2.04	2.63	4.08	5.25	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20
		7	9	14	24	-	-	54	1.62	2.08	3.24	5.56	-	-	1.81	2.33	3.63	6.23	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23
		7	9	18	18	-	-	52	1.68	2.16	4.33	4.33	-	-	1.88	2.42	4.85	4.85	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
		7	9	18	24	-	-	58	1.51	1.94	3.88	5.17	-	-	1.69	2.17	4.34	5.80	-	-	3.5	12.5	14.0	0.80	3.85	5.02	3.25
		7	12	12	12	-	-	43	1.90	3.50	3.50	3.50	-	-	2.24	3.82	3.82	3.82	-	-	3.5	12.4	13.7	0.80	3.85	4.83	3.22
		7	12	12	14	-	-	45	1.94	3.33	3.33	3.90	-	-	2.18	3.73	3.73	4.36	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18
		7	12	12	18	-	-	49	1.79	3.06	3.06	4.59	-	-	2.00	3.43	3.43	5.14	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
		7	12	12	24	-	-	55	1.59	2.73	2.73	5.45	-	-	1.78	3.05	3.05	6.12	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23
		7	12	14	14	-	-	47	1.87	3.19	3.72	3.72	-	-	2.09	3.57	4.17	4.17	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20
		7	12	14	18	-	-	51	1.72	2.94	3.43	4.41	-	-	1.92	3.29	3.84	4.95	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
	7	12	14	24	-	-	57	1.54	2.63	3.07	5.26	-	-	1.72	2.95	3.44	5.89	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24	
	7	12	18	18	-	-	55	1.59	2.73	4.09	4.09	-	-	1.78	3.06	4.58	4.58	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23	
	7	12	18	24	-	-	61	1.43	2.46	3.69	4.92	-	-	1.61	2.75	4.13	5.51	-	-	3.5	12.5	14.0	0.80	3.83	5.02	3.26	
	7	14	14	14	-	-	49	1.79	3.57	3.57	3.57	-	-	2.00	4.00	4.00	4.00	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21	
	7	14	14	18	-	-	53	1.65	3.30	3.30	4.25	-	-	1.85	3.70	3.70	4.75	-	-	3.5	12.5	14.0	0.80	3.88	5.02	3.22	
	7	14	14	24	-	-	59	1.48	2.97	2.97	5.08	-	-	1.66	3.32	3.32	5.70	-	-	3.5	12.5	14.0	0.80	3.85	5.02	3.25	
	7	14	18	18	-	-	57	1.53	3.07	3.95	3.95	-	-	1.72	3.44	4.42	4.42	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24	
	7	18	18	18	-	-	61	1.43	3.69	3.69	3.69	-	-	1.61	4.13	4.13	4.13	-	-	3.5	12.5	14.0	0.80	3.83	5.02	3.26	
	9	9	9	9	-	-	36	2.50	2.50	2.50	2.50	-	-	2.88	2.88	2.88	2.88	-	-	3.5	10.0	11.5	0.80	2.70	3.49	3.70	
	9	9	9	12	-	-	39	2.50	2.50	2.50	3.50	-	-	2.86	2.86	2.86	3.82	-	-	3.5	11.0	12.4	0.80	3.19	4.07	3.45	
	9	9	9	14	-	-	41	2.50	2.50	2.50	4.00	-	-	2.85	2.85	2.85	4.45	-	-	3.5	11.5	13.0	0.80	3.47	4.45	3.31	
	9	9	9	18	-	-	45	2.50	2.50	2.50	5.00	-	-	2.80	2.80	2.80	5.60	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18	
	9	9	9	24	-	-	51	2.21	2.21	2.21	5.87	-	-	2.47	2.47	2.47	6.59	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21	
	9	9	12	12	-	-	42	2.50	2.50	3.50	3.50	-	-	2.87	2.87	3.83	3.83	-	-	3.5	12.0	13.4	0.80	3.66	4.64	3.28	
	9	9	12	14	-	-	44	2.50	2.50	3.50	4.00	-	-	2.86	2.86	3.82	4.46	-	-	3.5	12.5	14.0	0.80	3.94	5.02	3.17	
	9	9	12	18	-	-	48	2.34	2.34	3.13	4.69	-	-	2.63	2.63	3.50	5.24	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20	
	9	9	12	24	-	-	54	2.08	2.08	2.78	5.56	-	-	2.33	2.33	3.11	6.23	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23	
	9	9	14	14	-	-	46	2.45	2.45	3.80	3.80	-	-	2.74	2.74	4.26	4.26	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18	
	9	9	14	18	-	-	50	2.25	2.25	3.50	4.50	-	-	2.52	2.52	3.92	5.04	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21	
	9	9	14	24	-	-	56	2.01	2.01	3.13	5.35	-	-	2.25	2.25	3.50	6.00	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24	
	9	9	18	18	-	-	54	2.08	2.08	4.17	4.17	-	-														

OPERATING CAPACITY CHARTS

COOLING – AOTG45LBLA6

		COMBINATION OF INDOOR UNITS						COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	
min. 27 kBtu max. 49 kBtu	9	12	12	12	-	-	45	2.51	3.33	3.33	3.33	-	-	2.81	3.73	3.73	3.73	-	-	3.5	12.5	14.0	0.80	3.93	5.02	3.18
	9	12	12	14	-	-	47	2.39	3.19	3.19	3.73	-	-	2.68	3.57	3.57	4.18	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20
	9	12	12	18	-	-	51	2.21	2.94	2.94	4.41	-	-	2.47	3.29	3.29	4.95	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
	9	12	12	24	-	-	57	1.97	2.63	2.63	5.27	-	-	2.21	2.95	2.95	5.89	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24
	9	12	14	14	-	-	49	2.30	3.06	3.57	3.57	-	-	2.57	3.43	4.00	4.00	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
	9	12	14	18	-	-	53	2.12	2.83	3.30	4.25	-	-	2.38	3.17	3.70	4.75	-	-	3.5	12.5	14.0	0.80	3.88	5.02	3.22
	9	12	14	24	-	-	59	1.91	2.54	2.97	5.08	-	-	2.14	2.85	3.32	5.69	-	-	3.5	12.5	14.0	0.80	3.85	5.02	3.25
	9	12	18	18	-	-	57	1.97	2.63	3.95	3.95	-	-	2.21	2.95	4.42	4.42	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24
	9	14	14	14	-	-	51	2.21	3.43	3.43	3.43	-	-	2.48	3.84	3.84	3.84	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
	9	14	14	18	-	-	55	2.05	3.18	3.18	4.09	-	-	2.29	3.56	3.56	4.59	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23
	9	14	14	24	-	-	61	1.84	2.87	2.87	4.92	-	-	2.07	3.21	3.21	5.51	-	-	3.5	12.5	14.0	0.80	3.83	5.02	3.26
	9	14	18	18	-	-	59	1.91	2.97	3.81	3.81	-	-	2.14	3.32	4.27	4.27	-	-	3.5	12.5	14.0	0.80	3.85	5.02	3.25
	12	12	12	12	-	-	48	3.13	3.13	3.13	3.13	-	-	3.50	3.50	3.50	3.50	-	-	3.5	12.5	14.0	0.80	3.91	5.02	3.20
	12	12	12	14	-	-	50	3.00	3.00	3.00	3.50	-	-	3.36	3.36	3.36	3.92	-	-	3.5	12.5	14.0	0.80	3.90	5.02	3.21
	12	12	12	18	-	-	54	2.78	2.78	2.78	4.16	-	-	3.11	3.11	3.11	4.67	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23
	12	12	12	24	-	-	60	2.50	2.50	2.50	5.00	-	-	2.80	2.80	2.80	5.60	-	-	3.5	12.5	14.0	0.80	3.83	5.02	3.26
	12	12	14	14	-	-	52	2.88	2.88	3.37	3.37	-	-	3.23	3.23	3.77	3.77	-	-	3.5	12.5	14.0	0.80	3.89	5.02	3.21
	12	12	14	18	-	-	56	2.68	2.68	3.13	4.01	-	-	3.00	3.00	3.50	4.50	-	-	3.5	12.5	14.0	0.80	3.86	5.02	3.24
	12	12	14	24	-	-	62	2.42	2.42	2.82	4.84	-	-	2.71	2.71	3.16	5.42	-	-	3.5	12.5	14.0	0.80	3.82	5.02	3.27
	12	12	18	18	-	-	60	2.50	2.50	3.75	3.75	-	-	2.80	2.80	4.20	4.20	-	-	3.5	12.5	14.0	0.80	3.83	5.02	3.26
12	14	14	14	-	-	54	2.78	3.24	3.24	3.24	-	-	3.11	3.63	3.63	3.63	-	-	3.5	12.5	14.0	0.80	3.87	5.02	3.23	
12	14	14	18	-	-	58	2.59	3.02	3.02	3.87	-	-	2.90	3.38	3.38	4.34	-	-	3.5	12.5	14.0	0.80	3.85	5.02	3.25	
12	14	18	18	-	-	62	2.42	2.82	3.63	3.63	-	-	2.71	3.17	4.06	4.06	-	-	3.5	12.5	14.0	0.80	3.82	5.02	3.27	
7	7	7	7	7	-	35	2.00	2.00	2.00	2.00	2.00	-	-	2.22	2.22	2.22	2.22	2.22	-	3.5	10.0	11.1	0.80	2.54	3.30	3.94
7	7	7	7	9	-	37	2.00	2.00	2.00	2.00	2.50	-	-	2.23	2.23	2.23	2.23	2.88	-	3.5	10.5	11.8	0.80	2.83	3.68	3.71
7	7	7	7	12	-	40	2.00	2.00	2.00	2.00	3.50	-	-	2.22	2.22	2.22	2.22	3.82	-	3.5	11.5	12.7	0.80	3.31	4.26	3.47
7	7	7	7	14	-	42	2.00	2.00	2.00	2.00	4.00	-	-	2.23	2.23	2.23	2.23	4.48	-	3.5	12.0	13.4	0.80	3.55	4.64	3.38
7	7	7	7	18	-	46	1.90	1.90	1.90	1.90	4.90	-	-	2.13	2.13	2.13	2.13	5.48	-	3.5	12.5	14.0	0.80	3.80	5.02	3.29
7	7	7	7	24	-	52	1.68	1.68	1.68	1.68	5.78	-	-	1.88	1.88	1.88	1.88	6.48	-	3.5	12.5	14.0	0.80	3.76	5.02	3.32
7	7	7	9	9	-	39	2.00	2.00	2.00	2.50	2.50	-	-	2.23	2.23	2.23	2.86	2.86	-	3.5	11.0	12.4	0.80	3.11	4.07	3.54
7	7	7	9	12	-	42	2.00	2.00	2.00	2.50	3.50	-	-	2.23	2.23	2.23	2.87	3.84	-	3.5	12.0	13.4	0.80	3.55	4.64	3.38
7	7	7	9	14	-	44	2.00	2.00	2.00	2.50	4.00	-	-	2.23	2.23	2.23	2.86	4.45	-	3.5	12.5	14.0	0.80	3.82	5.02	3.27
7	7	7	9	18	-	48	1.82	1.82	1.82	2.34	4.70	-	-	2.04	2.04	2.04	2.63	5.25	-	3.5	12.5	14.0	0.80	3.79	5.02	3.30
7	7	7	9	24	-	54	1.62	1.62	1.62	2.08	5.56	-	-	1.81	1.81	1.81	2.33	6.24	-	3.5	12.5	14.0	0.80	3.75	5.02	3.33
7	7	7	12	12	-	45	1.94	1.94	1.94	3.34	3.34	-	-	2.18	2.18	2.18	3.73	3.73	-	3.5	12.5	14.0	0.80	3.80	5.02	3.29
7	7	7	12	14	-	47	1.86	1.86	1.86	3.19	3.73	-	-	2.09	2.09	2.09	3.57	4.16	-	3.5	12.5	14.0	0.80	3.79	5.02	3.30
7	7	7	12	18	-	51	1.72	1.72	1.72	2.94	4.40	-	-	1.92	1.92	1.92	3.29	4.95	-	3.5	12.5	14.0	0.80	3.77	5.02	3.32
7	7	7	12	24	-	57	1.54	1.54	1.54	2.63	5.25	-	-	1.72	1.72	1.72	2.95	5.89	-	3.5	12.5	14.0	0.80	3.73	5.02	3.35
7	7	7	14	14	-	49	1.79	1.79	1.79	3.57	3.57	-	-	2.00	2.00	2.00	4.00	4.00	-	3.5	12.5	14.0	0.80	3.78	5.02	3.31
7	7	7	14	18	-	53	1.65	1.65	1.65	3.30	4.25	-	-	1.85	1.85	1.85	3.70	4.75	-	3.5	12.5	14.0	0.80	3.75	5.02	3.33
7	7	7	14	24	-	59	1.48	1.48	1.48	2.97	5.09	-	-	1.66	1.66	1.66	3.32	5.70	-	3.5	12.5	14.0	0.80	3.72	5.02	3.36
7	7	7	18	18	-	57	1.54	1.54	1.54	3.94	3.94	-	-	1.72	1.72	1.72	4.42	4.42	-	3.5	12.5	14.0	0.80	3.73	5.02	3.35
7	7	9	9	9	-	41	2.00	2.00	2.50	2.50	2.50	-	-	2.22	2.22	2.85	2.85	2.85	-	3.5	11.5	13.0	0.80	3.38	4.45	3.40
7	7	9	9	12	-	44	2.00	2.00	2.50	2.50	3.50	-	-	2.23	2.23	2.86	2.86	3.82	-	3.5	12.5	14.0	0.80	3.82	5.02	3.27
7	7	9	9	14	-	46	1.90	1.90	2.45	2.45	3.80	-	-	2.13	2.13	2.74	2.74	4.26	-	3.5	12.5	14.0	0.80	3.80	5.02	3.29
7	7	9	9	18	-	50	1.75	1.75	2.25	2.25	4.50	-	-	1.96	1.96	2.52	2.52	5.04	-	3.5	12.5	14.0	0.80	3.77	5.02	3.32
7	7	9	9	24	-	56	1.56	1.56	2.01	2.01	5.36	-	-	1.75	1.75	2.25	2.25	6.00	-	3.5	12.5	14.0	0.80	3.74	5.02	3.34
7	7	9	12	12	-	47	1.86	1.86	2.40	3.19	3.19	-	-	2.09	2.09	2.68	3.57	3.57	-	3.5	12.5	14.0	0.80	3.79	5.02	3.30
7	7	9	12	14	-	49	1.79	1.79	2.30	3.06	3.56	-	-	2.00	2.00	2.57	3.43	4.00	-	3.5	12.5	14.0	0.80	3.78	5.02	3.31
7	7	9	12	18	-	53	1.65	1.65	2.12	2.83	4.25	-	-	1.85	1.85	2.38	3.17	4.75	-	3.5	12.5	14.0	0.80	3.75	5.02	3.33
7	7	9	12	24	-	59	1.48	1.48	1.91	2.54	5.09	-	-	1.66	1.66	2.14	2.85	5.69	-	3.5	12.5	14.0	0.80	3.72	5.02	3.36
7	7	9	14	14	-	51	1.72	1.72	2.20	3.43	3.43	-	-	1.92	1.92	2.48	3.84	3.84	-	3.5	12.5	14.0	0.80	3.77	5.02	3.32

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

COOLING – AOTG45LBLA6

		COMBINATION OF INDOOR UNITS							COOLING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						COOLING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL COOLING CAPACITY (KW)			TOTAL INPUT (KW)			EER
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
min. 27 kBtu max. 49 kBtu	9	12	12	12	12	-	57	1.98	2.63	2.63	2.63	2.63	-	2.20	2.95	2.95	2.95	2.95	-	3.5	12.5	14.0	0.80	3.73	5.02	3.35	
	9	12	12	12	14	-	59	1.91	2.54	2.54	2.54	2.97	-	2.14	2.85	2.85	2.85	3.31	-	3.5	12.5	14.0	0.80	3.72	5.02	3.36	
	9	12	12	14	14	-	61	1.84	2.46	2.46	2.87	2.87	-	2.08	2.75	2.75	3.21	3.21	-	3.5	12.5	14.0	0.80	3.71	5.02	3.37	
	12	12	12	12	12	-	60	2.50	2.50	2.50	2.50	2.50	-	2.80	2.80	2.80	2.80	2.80	-	3.5	12.5	14.0	0.80	3.71	5.02	3.37	
	12	12	12	12	14	-	62	2.42	2.42	2.42	2.42	2.82	-	2.71	2.71	2.71	2.71	3.16	-	3.5	12.5	14.0	0.80	3.70	5.02	3.38	
	7	7	7	7	7	7	42	2.00	2.00	2.00	2.00	2.00	2.00	2.23	2.23	2.23	2.23	2.23	2.23	3.5	12.0	13.4	0.80	3.46	4.64	3.47	
	7	7	7	7	7	9	44	2.00	2.00	2.00	2.00	2.00	2.50	2.23	2.23	2.23	2.23	2.23	2.85	3.5	12.5	14.0	0.80	3.72	5.02	3.36	
	7	7	7	7	7	12	47	1.86	1.86	1.86	1.86	1.86	3.20	2.09	2.09	2.09	2.09	2.09	3.55	3.5	12.5	14.0	0.80	3.70	5.02	3.38	
	7	7	7	7	7	14	49	1.79	1.79	1.79	1.79	1.79	3.55	2.00	2.00	2.00	2.00	2.00	4.00	3.5	12.5	14.0	0.80	3.69	5.02	3.39	
	7	7	7	7	7	18	53	1.65	1.65	1.65	1.65	1.65	4.25	1.85	1.85	1.85	1.85	1.85	4.75	3.5	12.5	14.0	0.80	3.66	5.02	3.42	
	7	7	7	7	9	9	46	1.90	1.90	1.90	1.90	2.45	2.45	2.13	2.13	2.13	2.13	2.74	2.74	3.5	12.5	14.0	0.80	3.71	5.02	3.37	
	7	7	7	7	9	12	49	1.79	1.79	1.79	1.79	2.29	3.05	2.00	2.00	2.00	2.00	2.57	3.43	3.5	12.5	14.0	0.80	3.69	5.02	3.39	
	7	7	7	7	9	14	51	1.72	1.72	1.72	1.72	2.20	3.42	1.92	1.92	1.92	1.92	2.47	3.85	3.5	12.5	14.0	0.80	3.68	5.02	3.40	
	7	7	7	7	9	24	61	1.43	1.43	1.43	1.43	1.85	4.93	1.61	1.61	1.61	1.61	2.07	5.49	3.5	12.5	14.0	0.80	3.62	5.02	3.45	
	7	7	7	7	12	12	52	1.68	1.68	1.68	1.68	2.89	2.89	1.88	1.88	1.88	1.88	3.24	3.24	3.5	12.5	14.0	0.80	3.67	5.02	3.41	
	7	7	7	7	12	14	54	1.62	1.62	1.62	1.62	2.78	3.24	1.81	1.81	1.81	1.81	3.11	3.65	3.5	12.5	14.0	0.80	3.66	5.02	3.42	
	7	7	7	7	12	18	58	1.51	1.51	1.51	1.51	2.59	3.87	1.69	1.69	1.69	1.69	2.90	4.34	3.5	12.5	14.0	0.80	3.63	5.02	3.44	
	7	7	7	7	14	14	56	1.56	1.56	1.56	1.56	3.13	3.13	1.75	1.75	1.75	1.75	3.50	3.50	3.5	12.5	14.0	0.80	3.65	5.02	3.42	
	7	7	7	7	9	9	48	1.82	1.82	1.82	2.34	2.34	3.24	2.04	2.04	2.04	2.63	2.63	2.63	3.5	12.5	14.0	0.80	3.70	5.02	3.38	
	7	7	7	9	9	12	51	1.72	1.72	1.72	2.21	2.21	2.92	1.92	1.92	1.92	2.47	2.47	3.30	3.5	12.5	14.0	0.80	3.68	5.02	3.40	
	7	7	7	9	9	14	53	1.65	1.65	1.65	2.12	2.12	3.31	1.85	1.85	1.85	2.38	2.38	3.69	3.5	12.5	14.0	0.80	3.66	5.02	3.42	
	7	7	7	9	12	12	54	1.62	1.62	1.62	2.08	2.78	2.78	1.81	1.81	1.81	2.35	3.11	3.11	3.5	12.5	14.0	0.80	3.66	5.02	3.42	
	7	7	7	9	12	14	56	1.56	1.56	1.56	2.01	2.68	3.13	1.75	1.75	1.75	2.25	3.00	3.50	3.5	12.5	14.0	0.80	3.65	5.02	3.42	
	7	7	7	9	14	14	58	1.51	1.51	1.51	1.93	3.02	3.02	1.69	1.69	1.69	2.17	3.38	3.38	3.5	12.5	14.0	0.80	3.63	5.02	3.44	
	7	7	7	12	12	12	57	1.54	1.54	1.54	2.63	2.63	2.63	1.72	1.72	1.72	2.95	2.95	2.95	3.5	12.5	14.0	0.80	3.64	5.02	3.43	
	7	7	7	12	12	14	59	1.48	1.48	1.48	2.54	2.54	2.98	1.66	1.66	1.66	2.85	2.85	3.32	3.5	12.5	14.0	0.80	3.63	5.02	3.44	
	7	7	7	12	14	14	61	1.43	1.43	1.43	2.47	2.87	2.87	1.61	1.61	1.61	2.75	3.21	3.21	3.5	12.5	14.0	0.80	3.62	5.02	3.45	
	7	7	9	9	9	9	50	1.75	1.75	2.25	2.25	2.25	2.25	1.96	1.96	2.52	2.52	2.52	2.52	3.5	12.5	14.0	0.80	3.68	5.02	3.40	
	7	7	9	9	9	12	53	1.65	1.65	2.12	2.12	2.12	2.84	1.85	1.85	2.38	2.38	2.38	3.16	3.5	12.5	14.0	0.80	3.66	5.02	3.42	
	7	7	9	9	9	14	55	1.59	1.59	2.05	2.05	2.05	3.17	1.78	1.78	2.29	2.29	2.29	3.57	3.5	12.5	14.0	0.80	3.65	5.02	3.42	
	7	7	9	9	12	12	56	1.56	1.56	2.01	2.01	2.68	2.68	1.75	1.75	2.25	2.25	3.00	3.00	3.5	12.5	14.0	0.80	3.65	5.02	3.42	
	7	7	9	9	12	14	58	1.51	1.51	1.94	1.94	2.59	3.01	1.69	1.69	2.17	2.17	2.90	3.38	3.5	12.5	14.0	0.80	3.63	5.02	3.44	
	7	7	9	9	14	14	60	1.46	1.46	1.88	1.88	2.91	2.91	1.63	1.63	2.10	2.10	3.27	3.27	3.5	12.5	14.0	0.80	3.62	5.02	3.45	
7	7	9	12	12	12	59	1.48	1.48	1.92	2.54	2.54	2.54	1.66	1.66	2.13	2.85	2.85	2.85	3.5	12.5	14.0	0.80	3.63	5.02	3.44		
7	7	9	12	12	14	61	1.43	1.43	1.85	2.46	2.46	2.87	1.61	1.61	2.07	2.75	2.75	3.21	3.5	12.5	14.0	0.80	3.62	5.02	3.45		
7	7	12	12	12	12	62	1.41	1.41	2.42	2.42	2.42	2.42	1.58	1.58	2.71	2.71	2.71	2.71	3.5	12.5	14.0	0.80	3.61	5.02	3.46		
7	9	9	9	9	9	52	1.70	2.16	2.16	2.16	2.16	2.16	1.90	2.42	2.42	2.42	2.42	2.42	3.5	12.5	14.0	0.80	3.67	5.02	3.41		
7	9	9	9	9	12	55	1.59	2.05	2.05	2.05	2.05	2.71	1.78	2.29	2.29	2.29	2.29	3.06	3.5	12.5	14.0	0.80	3.65	5.02	3.42		
7	9	9	9	9	14	57	1.54	1.97	1.97	1.97	1.97	3.08	1.72	2.21	2.21	2.21	2.21	3.44	3.5	12.5	14.0	0.80	3.64	5.02	3.43		
7	9	9	9	12	12	58	1.50	1.94	1.94	1.94	2.59	2.59	1.69	2.17	2.17	2.17	2.90	2.90	3.5	12.5	14.0	0.80	3.63	5.02	3.44		
7	9	9	9	12	14	60	1.46	1.88	1.88	1.88	2.50	2.90	1.63	2.10	2.10	2.10	2.80	3.27	3.5	12.5	14.0	0.80	3.62	5.02	3.45		
7	9	9	12	12	12	61	1.44	1.84	1.84	2.46	2.46	2.46	1.61	2.07	2.07	2.75	2.75	2.75	3.5	12.5	14.0	0.80	3.62	5.02	3.45		
9	9	9	9	9	9	54	2.08	2.08	2.08	2.08	2.08	2.08	2.33	2.33	2.33	2.33	2.33	2.33	3.5	12.5	14.0	0.80	3.66	5.02	3.42		
9	9	9	9	9	12	57	1.97	1.97	1.97	1.97	1.97	2.65	2.21	2.21	2.21	2.21	2.21	2.95	3.5	12.5	14.0	0.80	3.64	5.02	3.43		
9	9	9	9	12	12	60	1.88	1.88	1.88	1.88	2.49	2.49	2.10	2.10	2.10	2.10	2.80	2.80	3.5	12.5	14.0	0.80	3.62	5.02	3.45		

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG45LBLA6

	COMBINATION OF INDOOR UNITS							HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.	(W/W)
	min. 27 kBtu	max. 49 kBtu																								
	12	24	-	-	-	-	36	4.07	8.13	-	-	-	-	4.37	8.73	-	-	-	-	3.5	12.2	13.1	0.70	3.47	3.72	3.52
	14	24	-	-	-	-	38	4.61	7.89	-	-	-	-	5.08	8.72	-	-	-	-	3.5	12.5	13.8	0.70	3.55	3.94	3.52
	18	18	-	-	-	-	36	6.10	6.10	-	-	-	-	6.55	6.55	-	-	-	-	3.5	12.2	13.1	0.70	3.47	3.72	3.52
	18	24	-	-	-	-	42	5.66	7.54	-	-	-	-	6.56	8.74	-	-	-	-	3.5	13.2	15.3	0.70	3.77	4.37	3.50
	24	24	-	-	-	-	48	6.75	6.75	-	-	-	-	8.00	8.00	-	-	-	-	3.5	13.5	16.0	0.70	3.87	4.59	3.49
	7	7	24	-	-	-	38	2.30	2.30	7.90	-	-	-	2.54	2.54	8.72	-	-	-	3.5	12.5	13.8	0.70	3.43	3.94	3.64
	7	9	18	-	-	-	34	2.35	3.02	6.03	-	-	-	2.55	3.28	6.57	-	-	-	3.5	11.4	12.4	0.70	3.07	3.51	3.71
	7	9	24	-	-	-	40	2.24	2.88	7.68	-	-	-	2.54	3.26	8.70	-	-	-	3.5	12.8	14.5	0.70	3.56	4.16	3.60
	7	12	18	-	-	-	37	2.33	3.99	5.98	-	-	-	2.55	4.38	6.57	-	-	-	3.5	12.3	13.5	0.70	3.36	3.83	3.66
	7	12	24	-	-	-	43	2.17	3.71	7.42	-	-	-	2.54	4.35	8.71	-	-	-	3.5	13.3	15.6	0.70	3.75	4.48	3.55
	7	14	14	-	-	-	35	2.40	4.80	4.80	-	-	-	2.54	5.08	5.08	-	-	-	3.5	12.0	12.7	0.70	3.25	3.61	3.69
	7	14	18	-	-	-	39	2.28	4.56	5.86	-	-	-	2.55	5.10	6.55	-	-	-	3.5	12.7	14.2	0.70	3.51	4.05	3.62
	7	14	24	-	-	-	45	2.10	4.20	7.20	-	-	-	2.49	4.98	8.53	-	-	-	3.5	13.5	16.0	0.70	3.85	4.59	3.51
	7	18	18	-	-	-	43	2.16	5.57	5.57	-	-	-	2.54	6.53	6.53	-	-	-	3.5	13.3	15.6	0.70	3.75	4.48	3.55
	7	18	24	-	-	-	49	1.93	4.96	6.61	-	-	-	2.29	5.88	7.83	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	7	24	24	-	-	-	55	1.72	5.89	5.89	-	-	-	2.04	6.98	6.98	-	-	-	3.5	13.5	16.0	0.70	3.81	4.59	3.54
	9	9	18	-	-	-	36	3.05	3.05	6.10	-	-	-	3.28	3.28	6.54	-	-	-	3.5	12.2	13.1	0.70	3.32	3.72	3.67
	9	9	24	-	-	-	42	2.83	2.83	7.54	-	-	-	3.28	3.28	8.74	-	-	-	3.5	13.2	15.3	0.70	3.71	4.37	3.56
	9	12	14	-	-	-	35	3.09	4.11	4.80	-	-	-	3.27	4.35	5.08	-	-	-	3.5	12.0	12.7	0.70	3.25	3.61	3.69
	9	12	18	-	-	-	39	2.93	3.91	5.86	-	-	-	3.28	4.37	6.55	-	-	-	3.5	12.7	14.2	0.70	3.51	4.05	3.62
	9	12	24	-	-	-	45	2.70	3.60	7.20	-	-	-	3.20	4.27	8.53	-	-	-	3.5	13.5	16.0	0.70	3.85	4.59	3.51
	9	14	14	-	-	-	37	3.00	4.65	4.65	-	-	-	3.28	5.11	5.11	-	-	-	3.5	12.3	13.5	0.70	3.36	3.83	3.66
	9	14	18	-	-	-	41	2.85	4.44	5.71	-	-	-	3.27	5.09	6.54	-	-	-	3.5	13.0	14.9	0.70	3.63	4.27	3.58
	9	14	24	-	-	-	47	2.59	4.02	6.89	-	-	-	3.06	4.77	8.17	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	9	18	18	-	-	-	45	2.70	5.40	5.40	-	-	-	3.20	6.40	6.40	-	-	-	3.5	13.5	16.0	0.70	3.85	4.59	3.51
	9	18	24	-	-	-	51	2.38	4.76	6.36	-	-	-	2.82	5.65	7.53	-	-	-	3.5	13.5	16.0	0.70	3.82	4.59	3.53
	9	24	24	-	-	-	57	2.14	5.68	5.68	-	-	-	2.52	6.74	6.74	-	-	-	3.5	13.5	16.0	0.70	3.80	4.59	3.55
	12	12	12	-	-	-	36	4.07	4.07	4.07	-	-	-	4.37	4.37	4.37	-	-	-	3.5	12.2	13.1	0.70	3.32	3.72	3.67
	12	12	14	-	-	-	38	3.94	3.95	4.61	-	-	-	4.36	4.36	5.08	-	-	-	3.5	12.5	13.8	0.70	3.43	3.94	3.64
	12	12	18	-	-	-	42	3.77	3.77	5.66	-	-	-	4.37	4.37	6.56	-	-	-	3.5	13.2	15.3	0.70	3.71	4.37	3.56
	12	12	24	-	-	-	48	3.38	3.38	6.74	-	-	-	4.00	4.00	8.00	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	12	14	14	-	-	-	40	3.84	4.48	4.48	-	-	-	4.34	5.08	5.08	-	-	-	3.5	12.8	14.5	0.70	3.56	4.16	3.60
	12	14	18	-	-	-	44	3.68	4.30	5.52	-	-	-	4.36	5.09	6.55	-	-	-	3.5	13.5	16.0	0.70	3.82	4.59	3.53
	12	14	24	-	-	-	50	3.24	3.78	6.48	-	-	-	3.84	4.48	7.68	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	12	18	18	-	-	-	48	3.38	5.06	5.06	-	-	-	4.00	6.00	6.00	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	12	18	24	-	-	-	54	3.00	4.50	6.00	-	-	-	3.56	5.33	7.11	-	-	-	3.5	13.5	16.0	0.70	3.81	4.59	3.54
	12	24	24	-	-	-	60	2.70	5.40	5.40	-	-	-	3.20	6.40	6.40	-	-	-	3.5	13.5	16.0	0.70	3.80	4.59	3.55
	14	14	14	-	-	-	42	4.40	4.40	4.40	-	-	-	5.10	5.10	5.10	-	-	-	3.5	13.2	15.3	0.70	3.71	4.37	3.56
	14	14	18	-	-	-	46	4.11	4.11	5.28	-	-	-	4.87	4.87	6.26	-	-	-	3.5	13.5	16.0	0.70	3.85	4.59	3.51
	14	14	24	-	-	-	52	3.63	3.63	6.24	-	-	-	4.31	4.31	7.38	-	-	-	3.5	13.5	16.0	0.70	3.82	4.59	3.53
	14	18	18	-	-	-	50	3.78	4.86	4.86	-	-	-	4.48	5.76	5.76	-	-	-	3.5	13.5	16.0	0.70	3.84	4.59	3.52
	14	18	24	-	-	-	56	3.38	4.34	5.78	-	-	-	4.00	5.14	6.86	-	-	-	3.5	13.5	16.0	0.70	3.81	4.59	3.54
	14	24	24	-	-	-	62	3.04	5.23	5.23	-	-	-	3.62	6.19	6.19	-	-	-	3.5	13.5	16.0	0.70	3.79	4.59	3.56
	18	18	18	-	-	-	54	4.50	4.50	4.50	-	-	-	5.33	5.33	5.33	-	-	-	3.5	13.5	16.0	0.70	3.81	4.59	3.54
	18	18	24	-	-	-	60	4.05	4.05	5.40	-	-	-	4.80	4.80	6.40	-	-	-	3.5	13.5	16.0	0.70	3.80	4.59	3.55
	7	7	7	14	-	-	35	2.40	2.40	2.40	4.80	-	-	2.54	2.54	2.54	5.08	-	-	3.5	12.0	12.7	0.70	3.08	3.61	3.89
	7	7	7	18	-	-	39	2.28	2.28	2.28	5.86	-	-	2.55	2.55	2.55	6.55	-	-	3.5	12.7	14.2	0.70	3.35	4.05	3.79
	7	7	7	24	-	-	45	2.10	2.10	2.10	7.20	-	-	2.49	2.49	2.49	8.53	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64
	7	7	9	12	-	-	35	2.40	2.40	3.09	4.11	-	-	2.54	2.54	3.27	4.35	-	-	3.5	12.0	12.7	0.70	3.08	3.61	3.89
	7	7	9	14	-	-	37	2.33	2.33	2.99	4.65	-	-	2.55	2.55	3.28	5.12	-	-	3.5	12.3	13.5	0.70	3.20	3.83	3.84
	7	7	9	18	-	-	41	2.22	2.22	2.85	5.71	-	-	2.54	2.54	3.27	6.55	-	-	3.5	13.0	14.9	0.70	3.48	4.27	3.74
	7	7	9	24	-	-	47	2.01	2.01	2.59	6.89	-	-	2.38	2.38	3.06	8.18	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.

*2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.

Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

HEATING – AOTG45LBLA6

	COMBINATION OF INDOOR UNITS							HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER	
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.		(W/W)
	7	7	12	12	-	-	38	2.30	2.30	3.95	3.95	-	-	2.54	2.54	4.36	4.36	-	-	3.5	12.5	13.8	0.70	3.27	3.94		3.82
min. 27 kBtu	7	7	12	14	-	-	40	2.24	2.24	3.84	4.48	-	-	2.54	2.54	4.35	5.07	-	-	3.5	12.8	14.5	0.70	3.40	4.16	3.77	
max. 49 kBtu	7	7	12	18	-	-	44	2.15	2.15	3.68	5.52	-	-	2.55	2.55	4.36	6.54	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	7	12	24	-	-	50	1.89	1.89	3.24	6.48	-	-	2.24	2.24	3.84	7.68	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	7	14	14	-	-	42	2.20	2.20	4.40	4.40	-	-	2.55	2.55	5.10	5.10	-	-	3.5	13.2	15.3	0.70	3.55	4.37	3.72	
	7	7	14	18	-	-	46	2.05	2.05	4.11	5.29	-	-	2.43	2.43	4.87	6.27	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64	
	7	7	14	24	-	-	52	1.82	1.82	3.63	6.23	-	-	2.15	2.15	4.31	7.39	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	7	7	18	18	-	-	50	1.89	1.89	4.86	4.86	-	-	2.24	2.24	5.76	5.76	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	7	18	24	-	-	56	1.69	1.69	4.34	5.78	-	-	2.00	2.00	5.14	6.86	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	7	24	24	-	-	62	1.52	1.52	5.23	5.23	-	-	1.81	1.81	6.19	6.19	-	-	3.5	13.5	16.0	0.70	3.66	4.59	3.69	
	7	9	9	9	-	-	34	2.34	3.02	3.02	3.02	-	-	2.56	3.28	3.28	3.28	-	-	3.5	11.4	12.4	0.70	2.91	3.51	3.92	
	7	9	9	12	-	-	37	2.33	2.99	2.99	3.99	-	-	2.55	3.28	3.28	4.39	-	-	3.5	12.3	13.5	0.70	3.20	3.83	3.84	
	7	9	9	14	-	-	39	2.28	2.93	2.93	4.56	-	-	2.55	3.28	3.28	5.09	-	-	3.5	12.7	14.2	0.70	3.35	4.05	3.79	
	7	9	9	18	-	-	43	2.17	2.78	2.78	5.57	-	-	2.54	3.27	3.27	6.52	-	-	3.5	13.3	15.6	0.70	3.60	4.48	3.69	
	7	9	9	24	-	-	49	1.93	2.48	2.48	6.61	-	-	2.29	2.94	2.94	7.83	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	9	12	12	-	-	40	2.24	2.88	3.84	3.84	-	-	2.54	3.26	4.35	4.35	-	-	3.5	12.8	14.5	0.70	3.40	4.16	3.77	
	7	9	12	14	-	-	42	2.20	2.83	3.77	4.40	-	-	2.55	3.28	4.37	5.10	-	-	3.5	13.2	15.3	0.70	3.55	4.37	3.72	
	7	9	12	18	-	-	46	2.05	2.64	3.52	5.29	-	-	2.43	3.13	4.17	6.27	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64	
	7	9	12	24	-	-	52	1.82	2.34	3.12	6.22	-	-	2.15	2.77	3.69	7.39	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	7	9	14	14	-	-	44	2.15	2.75	4.30	4.30	-	-	2.55	3.27	5.09	5.09	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	9	14	18	-	-	48	1.97	2.53	3.94	5.06	-	-	2.33	3.00	4.67	6.00	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	9	14	24	-	-	54	1.75	2.25	3.50	6.00	-	-	2.07	2.67	4.15	7.11	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	9	18	18	-	-	52	1.82	2.34	4.67	4.67	-	-	2.15	2.77	5.54	5.54	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	7	9	18	24	-	-	58	1.63	2.09	4.19	5.59	-	-	1.93	2.48	4.97	6.62	-	-	3.5	13.5	16.0	0.70	3.67	4.59	3.68	
	7	12	12	12	-	-	43	2.17	3.71	3.71	3.71	-	-	2.55	4.35	4.35	4.35	-	-	3.5	13.3	15.6	0.70	3.60	4.48	3.69	
	7	12	12	14	-	-	45	2.10	3.60	3.60	4.20	-	-	2.49	4.27	4.27	4.97	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64	
	7	12	12	18	-	-	49	1.93	3.31	3.31	4.95	-	-	2.29	3.92	3.92	5.87	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	12	12	24	-	-	55	1.72	2.95	2.95	5.88	-	-	2.04	3.49	3.49	6.98	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	12	14	14	-	-	47	2.01	3.45	4.02	4.02	-	-	2.38	4.08	4.77	4.77	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	12	14	18	-	-	51	1.85	3.18	3.71	4.76	-	-	2.20	3.76	4.39	5.65	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	7	12	14	24	-	-	57	1.66	2.84	3.32	5.68	-	-	1.96	3.37	3.93	6.74	-	-	3.5	13.5	16.0	0.70	3.67	4.59	3.68	
	7	12	18	18	-	-	55	1.72	2.94	4.42	4.42	-	-	2.04	3.48	5.24	5.24	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	7	12	18	24	-	-	61	1.55	2.66	3.98	5.31	-	-	1.84	3.15	4.72	6.29	-	-	3.5	13.5	16.0	0.70	3.66	4.59	3.69	
	7	14	14	14	-	-	49	1.92	3.86	3.86	3.86	-	-	2.29	4.57	4.57	4.57	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	7	14	14	18	-	-	53	1.78	3.57	3.57	4.58	-	-	2.11	4.23	4.23	5.43	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	7	14	14	24	-	-	59	1.60	3.20	3.20	5.50	-	-	1.90	3.80	3.80	6.50	-	-	3.5	13.5	16.0	0.70	3.67	4.59	3.68	
	7	14	18	18	-	-	57	1.66	3.32	4.26	4.26	-	-	1.96	3.94	5.05	5.05	-	-	3.5	13.5	16.0	0.70	3.67	4.59	3.68	
	7	18	18	18	-	-	61	1.56	3.98	3.98	3.98	-	-	1.84	4.72	4.72	4.72	-	-	3.5	13.5	16.0	0.70	3.66	4.59	3.69	
	9	9	9	9	-	-	36	3.05	3.05	3.05	3.05	-	-	3.28	3.28	3.28	3.28	-	-	3.5	12.2	13.1	0.70	3.15	3.72	3.87	
	9	9	9	12	-	-	39	2.93	2.93	2.93	3.91	-	-	3.28	3.28	3.28	4.36	-	-	3.5	12.7	14.2	0.70	3.35	4.05	3.79	
	9	9	9	14	-	-	41	2.85	2.85	2.85	4.45	-	-	3.27	3.27	3.27	5.09	-	-	3.5	13.0	14.9	0.70	3.48	4.27	3.74	
	9	9	9	18	-	-	45	2.70	2.70	2.70	5.40	-	-	3.20	3.20	3.20	6.40	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64	
	9	9	9	24	-	-	51	2.38	2.38	2.38	6.36	-	-	2.82	2.82	2.82	7.54	-	-	3.5	13.5	16.0	0.70	3.69	4.59	3.66	
	9	9	12	12	-	-	42	2.83	2.83	3.77	3.77	-	-	3.28	3.28	4.37	4.37	-	-	3.5	13.2	15.3	0.70	3.55	4.37	3.72	
	9	9	12	14	-	-	44	2.76	2.76	3.68	4.30	-	-	3.27	3.27	4.36	5.10	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	9	9	12	18	-	-	48	2.53	2.53	3.38	5.06	-	-	3.00	3.00	4.00	6.00	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	9	9	12	24	-	-	54	2.25	2.25	3.00	6.00	-	-	2.67	2.67	3.56	7.10	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	9	9	14	14	-	-	46	2.64	2.64	4.11	4.11	-	-	3.13	3.13	4.87	4.87	-	-	3.5	13.5	16.0	0.70	3.71	4.59	3.64	
	9	9	14	18	-	-	50	2.43	2.43	3.78	4.86	-	-	2.88	2.88	4.48	5.76	-	-	3.5	13.5	16.0	0.70	3.70	4.59	3.65	
	9	9	14	24	-	-	56	2.17	2.17	3.38	5.78	-	-	2.57	2.57	4.00	6.86	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	9	9	18	18	-	-	54	2.25	2.25	4.50	4.50	-	-	2.67	2.67	5.33	5.33	-	-	3.5	13.5	16.0	0.70	3.68	4.59	3.67	
	9	9	18	24	-	-	60	2.03	2.03	4.05	5.39	-	-	2.40	2.40	4.80	6.40	-	-	3.5	13.5	16.0	0.70	3.67	4.59	3.68	

Operating data under running indoor units are shown on the above table.
2 or more indoor units should be connected.

OPERATING CAPACITY CHARTS

HEATING – AOTG45LBLA6

	COMBINATION OF INDOOR UNITS						HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER		
	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED		MAX.	(W/W)
	min. 27 kBtu max. 49 kBtu	9	12	12	12			45	2.70	3.60	3.60	3.60			3.19	4.27	4.27	4.27			3.5	13.5	16.0	0.70		3.71	4.59

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.
 *2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.
 Please refer to connection charts for actual connections.

OPERATING CAPACITY CHARTS

HEATING – AOTG45LBLA6

		COMBINATION OF INDOOR UNITS							HEATING CAPACITY FOR EACH INDOOR UNIT RATED (KW)						HEATING CAPACITY FOR EACH INDOOR UNIT MAX. (KW)						TOTAL HEATING CAPACITY (KW)			TOTAL INPUT (KW)			EER
		ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	TOTAL	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	ROOM 1	ROOM 2	ROOM 3	ROOM 4	ROOM 5	ROOM 6	MIN.	RATED	MAX.	MIN.	RATED	MAX.	
min. 27 kBtu max. 49 kBtu	9	12	12	12	12	-	57	2.14	2.84	2.84	2.84	2.84	-	2.52	3.37	3.37	3.37	3.37	-	3.5	13.5	16.0	0.70	3.52	4.59	3.83	
	9	12	12	12	14	-	59	2.06	2.75	2.75	2.75	3.19	-	2.44	3.25	3.25	3.25	3.81	-	3.5	13.5	16.0	0.70	3.52	4.59	3.84	
	9	12	12	14	14	-	61	1.98	2.66	2.66	3.10	3.10	-	2.36	3.15	3.15	3.67	3.67	-	3.5	13.5	16.0	0.70	3.51	4.59	3.85	
	12	12	12	12	12	-	60	2.70	2.70	2.70	2.70	2.70	-	3.20	3.20	3.20	3.20	3.20	-	3.5	13.5	16.0	0.70	3.52	4.59	3.84	
	12	12	12	12	14	-	62	2.61	2.61	2.61	2.61	3.06	-	3.10	3.10	3.10	3.10	3.60	-	3.5	13.5	16.0	0.70	3.51	4.59	3.85	
	7	7	7	7	7	7	42	2.20	2.20	2.20	2.20	2.20	2.20	2.55	2.55	2.55	2.55	2.55	2.55	3.5	13.2	15.3	0.70	3.38	4.37	3.91	
	7	7	7	7	7	9	44	2.15	2.15	2.15	2.15	2.15	2.75	2.55	2.55	2.55	2.55	2.55	3.25	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	7	12	47	2.01	2.01	2.01	2.01	2.01	3.45	2.38	2.38	2.38	2.38	2.38	4.10	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	7	14	49	1.93	1.93	1.93	1.93	1.93	3.85	2.29	2.29	2.29	2.29	2.29	4.55	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	7	18	53	1.78	1.78	1.78	1.78	1.78	4.60	2.11	2.11	2.11	2.11	2.11	5.45	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	9	9	46	2.05	2.05	2.05	2.05	2.65	2.65	2.43	2.43	2.43	2.43	3.14	3.14	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	9	12	49	1.93	1.93	1.93	1.93	2.48	3.30	2.29	2.29	2.29	2.29	2.94	3.90	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	9	14	51	1.85	1.85	1.85	1.85	2.38	3.72	2.20	2.20	2.20	2.20	2.82	4.38	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	9	18	55	1.72	1.72	1.72	1.72	2.21	4.41	2.04	2.04	2.04	2.04	2.62	5.22	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	12	12	52	1.82	1.82	1.82	1.82	3.11	3.11	2.15	2.15	2.15	2.15	3.70	3.70	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	12	14	54	1.75	1.75	1.75	1.75	3.00	3.50	2.07	2.07	2.07	2.07	3.56	4.16	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	12	18	58	1.63	1.63	1.63	1.63	2.79	4.19	1.93	1.93	1.93	1.93	3.31	4.97	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	7	14	14	56	1.69	1.69	1.69	1.69	3.37	3.37	2.00	2.00	2.00	2.00	4.00	4.00	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	9	9	9	48	1.97	1.97	1.97	2.53	2.53	2.53	2.33	2.33	2.33	3.00	3.00	3.00	3.00	3.5	13.5	16.0	0.70	3.46	4.59	3.90
	7	7	7	9	9	12	51	1.85	1.85	1.85	2.38	2.38	3.19	2.20	2.20	2.20	2.82	2.82	3.76	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	9	9	14	53	1.78	1.78	1.78	2.29	2.29	3.58	2.11	2.11	2.11	2.72	2.72	4.23	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	9	12	12	54	1.75	1.75	1.75	2.25	3.00	3.00	2.07	2.07	2.07	2.67	3.56	3.56	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	9	12	14	56	1.69	1.69	1.69	2.17	2.89	3.37	2.00	2.00	2.00	2.57	3.43	4.00	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	9	14	14	58	1.63	1.63	1.63	2.09	3.26	3.26	1.93	1.93	1.93	2.49	3.86	3.86	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	12	12	12	57	1.66	1.66	1.66	2.84	2.84	2.84	1.96	1.96	1.96	3.37	3.37	3.37	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	12	12	14	59	1.60	1.60	1.60	2.75	2.75	3.20	1.90	1.90	1.90	3.25	3.25	3.80	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	7	12	14	14	61	1.55	1.55	1.55	2.65	3.10	3.10	1.84	1.84	1.84	3.14	3.67	3.67	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	9	9	9	9	50	1.89	1.89	2.43	2.43	2.43	2.43	2.24	2.24	2.88	2.88	2.88	2.88	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	9	9	9	12	53	1.78	1.78	2.29	2.29	2.29	3.07	2.11	2.11	2.72	2.72	2.72	3.62	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
	7	7	9	9	9	14	55	1.72	1.72	2.21	2.21	2.21	3.43	2.04	2.04	2.62	2.62	2.62	4.06	3.5	13.5	16.0	0.70	3.46	4.59	3.90	
7	7	9	9	12	12	56	1.69	1.69	2.17	2.17	2.89	2.89	2.00	2.00	2.57	2.57	3.43	3.43	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	7	9	9	12	14	58	1.63	1.63	2.09	2.09	2.79	3.27	1.93	1.93	2.48	2.48	3.31	3.87	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	7	9	9	14	14	60	1.58	1.58	2.03	2.03	3.14	3.14	1.87	1.87	2.40	2.40	3.73	3.73	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	7	9	12	12	12	59	1.60	1.60	2.05	2.75	2.75	2.75	1.90	1.90	2.45	3.25	3.25	3.25	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	7	9	12	12	14	61	1.55	1.55	1.99	2.66	2.66	3.09	1.84	1.84	2.36	3.15	3.15	3.66	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	7	12	12	12	12	62	1.53	1.53	2.61	2.61	2.61	2.61	1.80	1.80	3.10	3.10	3.10	3.10	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	9	9	9	52	1.80	2.34	2.34	2.34	2.34	2.34	2.15	2.77	2.77	2.77	2.77	2.77	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	9	9	12	55	1.72	2.21	2.21	2.21	2.21	2.94	2.04	2.62	2.62	2.62	2.62	3.48	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	9	9	14	57	1.66	2.13	2.13	2.13	2.13	3.32	1.96	2.53	2.53	2.53	2.53	3.92	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	9	12	12	58	1.65	2.09	2.09	2.09	2.79	2.79	1.94	2.48	2.48	2.48	3.31	3.31	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	9	12	14	60	1.58	2.03	2.03	2.03	2.69	3.14	1.87	2.40	2.40	2.40	3.20	3.73	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
7	9	9	12	12	12	61	1.54	1.99	1.99	2.66	2.66	2.66	1.83	2.36	2.36	3.15	3.15	3.15	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
9	9	9	9	9	9	54	2.25	2.25	2.25	2.25	2.25	2.25	2.67	2.67	2.67	2.67	2.67	2.67	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
9	9	9	9	9	12	57	2.13	2.13	2.13	2.13	2.13	2.85	2.53	2.53	2.53	2.53	2.53	3.35	3.5	13.5	16.0	0.70	3.46	4.59	3.90		
9	9	9	9	12	12	60	2.03	2.03	2.03	2.03	2.69	2.69	2.40	2.40	2.40	2.40	3.20	3.20	3.5	13.5	16.0	0.70	3.46	4.59	3.90		

*1 "ARTG09L + ARTG09L + ARTG09L + ASTG18L" Cannot be connected in this combination.
 *2 "ARTG09L + ARTG09L + ARTG12L + ASTG18L" Cannot be connected in this combination.
 Please refer to connection charts for actual connections.

FUJITSU

AUSTRALIA'S FAVOURITE AIR®



If you are looking for an air conditioner that you can trust to keep you comfortable all year round, my advice is to look no further than a Fujitsu.

They are efficient, effective, and beautifully designed, I should know, I bought one myself.

So for an air conditioner you can trust, go with the name you know, Fujitsu, It's Australia's Favourite Air®.



Mark Taylor



FUJITSU GENERAL AUSTRALIA

ABN 55 001 229 554 • A SUBSIDIARY OF FUJITSU GENERAL LIMITED

fujitsugeneral.com.au

email: contact@fujitsugeneral.com.au

Ph: 1300 882 201

Proud supporters of:



For every air conditioner sold, a donation is made to the Sporting Chance Cancer Foundation.



*Reader's Digest Catalyst Trusted Brands Survey – Air Conditioning Category.

FGAMS10/18